

COVID-19 Weekly Surveillance Report

Table of contents

Summary for the week 11 September to 17 September 2023 (inclusive)	2
Case data	3
Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to September 2023	17
Figure 2. COVID-19 cases by age group and sex, Western Australia, 11 September to 17 September 2023.	
Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 17 September 2023	5
Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction December 2021 to 12 September 2023	
Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 17 September 2023.	6
Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 17 September 2023	7
Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia.	
Aboriginal case summary	9
Figure 6. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notifica week, Western Australia, 09 October 2022 to 17 September 2023	ition
Hospitalisations, intensive care unit (ICU) inpatients and deaths	10
Figure 7. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 17 September 2023	10
Table 3. Number of COVID-19 related deaths by sex and age group, 11 September to 17 September 2023 and 01 January 2022 to 17 September 2023	
Testing data	12
Figure 8. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category week of specimen collection, 09 February 2020 to 17 September 2023	

Summary for the week 11 September to 17 September 2023 (inclusive)

In the week of 11 September to 17 September 2023 there were:

- 604 COVID-19 cases reported
 - o 124 diagnosed by polymerase chain reaction (PCR) tests
 - 480 diagnosed by rapid antigen tests (RAT)
- 206 were reinfections (see definition in Table 2)
- 7 new hospital admissions and no admissions into an intensive care unit
- 8 deaths, with a median age of 84
- 3,964 COVID-19 PCR tests conducted

Surveillance summary

This week, **case numbers** remained stable compared to the previous week. Cases diagnosed by PCR decreased by 18% and by RAT increased by 4%. **Reinfections** comprised 34% of total cases this week, compared with 42% last week.

The number of **PCR tests** decreased by 14% compared to the previous week, with a 7-day average positivity rate of 2.6%.

The moving seven-day average **case rate** per 100,000 population decreased in most regions, except the Perth metropolitan area, which remained steady, and the Great Southern, Kimberley and Wheatbelt regions, which increased. The seven-day average case rate for the Perth metropolitan area (3 cases/100,000 population) is the same as the non-metropolitan regions combined (3 cases/100,000 population).

The seven-day average **age-specific rate** remained steady in all age groups, except the 70+ years age group, which decreased. The highest rates were in the 50 - 69 years age group (4 cases/100,000 population), and the lowest rates in the 0 - 9 years age group (1 case/100,000 population).

The 7-day average of **hospitalised cases** decreased by 30% from 56 last week to 39 this week, and **intensive care unit cases** decreased from 1 last week to 0 this week. **New hospital admissions** related to COVID-19 decreased from 15 last week to 7 this week, and **direct intensive care unit admissions** remained the same at 0 this week.


Deaths increased this week with 8 deaths reported compared to 7 deaths last week.

This week, 17 cases were reported in the **Aboriginal population**, a slight decrease compared to last week. Case rates in the Aboriginal population are lower than the non-Aboriginal population, with a 7-day average rate ratio of 0.7 this reporting week. There were no deaths reported in the Aboriginal population this week.

Nationally, the moving seven-day average case rates slightly decreased in most jurisdictions, except South Australia, which remained steady, and New South Wales and Victoria, which increased. Tasmania reported the highest rates (8 cases/100,000 population) and Queensland the lowest rate (1 case/100,000 population). The rate in Western Australia was 3 cases/100,000 population.

Case data

Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to 17 September 2023.



Notes

Data sourced from Western Australia Department of Health dataset

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases

Notification week refers to data reported over the 7 days Monday to Sunday.




Figure 2. COVID-19 cases by age group and sex, Western Australia, 11 September to 17 September 2023.

Data sourced from Western Australia Department of Health dataset

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases

Higher case numbers in females relative to males, particularly in those aged 20-69 years, are likely due to increased propensity of women to seek and undertake testing, whether by RAT or PCR, rather than true differences in the incidence of infection

Sex data is partially incomplete due to the unavailability of this variable during rapid antigen test registration, resulting in a discrepancy to total case numbers reported for the week.

• Males: n=231 (39.7%) Females: n=351 (60.3%)

• Median age = 44 years; range: 0 to 96 years


Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 17 September 2023.

Month	Number of reinfections *
Mar-2022	14
Apr-2022	31
May-2022	122
Jun-2022	889
Jul-2022	5,100
Aug-2022	5,762
Sep-2022	4,066
Oct-2022	3,007
Nov-2022	7,160
Dec-2022	11,261
Jan-2023	5,530
Feb-2023	3,607
Mar-2023	5,051
Apr-2023	5,558
May-2023	7,551
June-2023	3,518
July-2023	1,347
Aug-2023	1,221
Sept-2023^	572
Total	71,367

^{*} Reinfection definition: between 2nd March 2022 and 8th July 2022, COVID-19 reinfections were defined as a positive COVID-19 test that occurred more than 12 weeks after an initial infection. From 9 July 2022 to 13 October 2022, COVID-19 reinfections were defined as a positive COVID-19 test occurring 28 days after previously recovering from the virus. From 14 October 2022 to date, COVID-19 reinfections are defined as a positive COVID-19 test occurring 35 days after the date of positive test for the most recent infection. Sourced from Series of National Guidelines (SoNG)

[^] Data up to 17th September 2023 inclusive

Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction, 01 December 2021 to 12 September 2023.




Data sourced from the jurisdictional health department datasets

Notification date refers to the date that a case is notified to the relevant jurisdictional health department

Data is only available up to and including Tuesday of current report week for all jurisdictions except Western Australia

From 01 July 2023, Victoria ceased reporting COVID-19 cases detected by Rapid Antigen Tests Population denominators are sourced from Australian Bureau of Statistics December 2020 estimates.

Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 17 September 2023.




Notes

Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases Population denominator sourced from Australian Bureau of Statistics June 2021 estimates.

Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 17 September 2023.



Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Western Australia Country Health Service (WACHS) region includes all non-metropolitan health regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West

Perth metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service Please note for the report week ending 20th August 2023, an additional 107 PCR confirmed cases, all from non-metropolitan regions, were reported due to a backlog of data between June – July 2023.

Population denominator sourced from Australian Bureau of Statistics 2020 estimates.

Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia.

		Current report week		Previous report week	
Health Region Perth metropolitan region		11 September to 17 September		04 September to 10 September	
		Number	Rate^	Number	Rate^
		483	23	497	23
WACHS Reg	gions	110	21	114	21
	Goldfields	6	11	3	6
	Great Southern	7	11	6	10
	Kimberley	9	25	8	22
	Midwest	12	19	11	18
	Pilbara	8	13	10	16
	South West	47	26	58	32
	Wheatbelt	21	28	18	24
Other*		11	-	2	-
Total		604	22	613	23

Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Western Australia Country Health Service (WACHS) region includes all the non-metropolitan regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West


Perth Metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases Population denominator is sourced from Australian Bureau of Statistics 2020 estimates.

^{*} Other includes cases with overseas and interstate residential addresses, and cases without residential address information
^ Rate reported as cases per 100,000 population. The total rate excludes "Other" cases, as there is no denominator population representing this

Aboriginal case summary

Figure 6. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notification week, Western Australia, 09 October 2022 to 17 September 2023.



Notes

Data sourced from Western Australia Department of Health dataset

Notification week refers to data reported over the 7 days Monday to Sunday

Aboriginal status is defined as those who identify as 'Aboriginal and Torres Strait Islander (TSI) origin'/'Aboriginal but not TSI origin'/'TSI but not Aboriginal origin'


Cases where Aboriginal status was not stated were designated as non-Aboriginal

Population denominator data were sourced from Australian Bureau of Statistics 2020 estimates

Rate ratio is calculated by dividing the Aboriginal rate by the non-Aboriginal rate, with a 7-day average of the respective rate ratios applied to smooth the trend

Hospitalisations, intensive care unit (ICU) inpatients and deaths

Figure 7. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 17 September 2023.



Notes

Data sourced from Western Australia Department of Health dataset

Notification week refers to data reported over the 7 days Monday to Sunday

'Hospitalised' relates to active and cleared COVID-19 cases that are current hospital inpatients. The reason for admission may be unrelated to COVID-19 for some people

'Intensive care unit' (ICU) is a subset of hospitalised and relates to active/cleared COVID-19 cases that are currently in an ICU
The definition of COVID-19 related hospitalisation was updated on 21 October 2022 to exclude cases where more than 60 days have passed since
their positive COVID-19 test. This new definition more accurately captures cases in whom COVID-19 may have contributed to their reason for
ongoing hospitalisation. Data reported after 21 October cannot be compared directly to data recorded prior to that date.

Table 3. Number of COVID-19 related deaths by sex and age group, 11 September to 17 September 2023 and 01 January 2022 to 17 September 2023.


	Current report week	Year 2022 to date
	11 September – 17 September 2023	1 Jan 2022 – 17 September 2023
Sex	Deaths (n= 8)	Deaths (n= 1,237)
Female	4 (50.0%)	601 (48.6%)
Male	4 (50.0%)	636 (51.4%)
Unspecified	0 (0%)	0 (0%)
Age group (years)		
0-9	0 (0%)	0 (0%)
10-19	0 (0%)	2 (0.2%)
20-29	0 (0%)	1 (0.1%)
30-39	0 (0%)	8 (0.6%)
40-49	0 (0%)	14 (1.1%)
50-59	0 (0%)	36 (2.9%)
60-69	0 (0%)	85 (6.9%)
70-79	2 (25.0%)	233 (18.8%)
80-89	4 (50.0%)	466 (37.6%)
90+	2 (25.0%)	392 (31.7%)

Data sourced from Western Australia Department of Health dataset

Deaths are counted by notification date and may include historical deaths that occurred (i.e. date of death) prior to the current report week Deaths are not necessarily associated with hospital and/or ICU admissions

Testing data

Figure 8. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category and week of specimen collection, 09 February 2020 to 17 September 2023.



Notes

Data sourced from Western Australian public and private pathology laboratories

Specimen collect week refers to specimens collected between Monday to Sunday

Number of tests includes both positive and negative tests

From 01 October 2022, testing at private pathology providers requires a referral from a GP

From 03 March 2023, Murdoch COVID-19 public PCR testing clinic closed. From this time forward public access to COVID-19 PCR testing is only via GP referral to private pathology providers.

This document can be made available in alternative formats on request for a person with disability. © Department of Health 2023
Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the <i>Copyright Act 1968</i> , no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.
health.wa.gov.au