

COVID-19 Weekly Surveillance Report

Table of Contents
Summary for the week 19 June to 25 June 2023 (inclusive)
Case data3
Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to 25 June 2023
Figure 2. COVID-19 cases by age group and sex, Western Australia, 19 June to 25 June 2023 4
Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 25 June 2023
Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction, 01 December 2021 to 20 June 2023
Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 25 June 20236
Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 25 June 20237
Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia. 8
Figure 6 (a). Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Western Australia, 19 June to 25 June 2023
(b) Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Perth metropolitan area, 19 June to 25 June 20239
Aboriginal case summary
Figure 7. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notification week, Western Australia, 09 October 2022 to 25 June 2023
Hospitalisations, intensive care unit (ICU) inpatients and deaths
Figure 8. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 25 June 2023
Table 3. Number of COVID-19 related deaths by sex and age group, 19 June to 25 June 2023 and 01January 2022 to 25 June 2023.12
Testing data
Figure 9. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category and week of specimen collection, 09 February 2020 to 25 June 2023
Appendix 1 14
Number of regional cases by postcode, 19 June – 25 June 2023 14

Summary for the week 19 June to 25 June 2023 (inclusive)

In the week of 19 June to 25 June 2023 there were:

- 1,467 COVID-19 cases reported
 - \circ 247 diagnosed by polymerase chain reaction (PCR) tests
 - 1,220 diagnosed by rapid antigen tests (RAT)
- 563 were reinfections (see definition in Table 2)
- 37 new hospital admissions and 2 new admissions into an intensive care unit
- 2 deaths, aged 69 91 years old
- 5,286 COVID-19 PCR tests conducted

Surveillance summary

This week, **case numbers** decreased by 31% compared to the previous week. Cases diagnosed by PCR decreased by 34% and by RAT decreased by 30%. **Reinfections** comprised 38% of total cases this week, compared with 35% last week.

The number of **PCR tests** conducted decreased by 12% compared to the previous week, with a 7day average positivity rate of 5.5%.

The moving seven-day average **case rate** per 100,000 population decreased in all regions except the Wheatbelt region with a slight increase. The seven-day average case rate for the Perth metropolitan area (8 cases/100,000 population) is higher than the non-metropolitan regions combined (5 cases/100,000 population).

The seven-day average **age-specific rate** decreased in all age groups. The highest rates were in the 50-to-69-year age group (9 cases/100,000 population), and the lowest rates in the 0 - 9 years age group (4 cases/100,000 population).

The 7-day average of **hospitalised cases** decreased by 15% from 183 last week to 154 this week, and **intensive care unit cases** decreased by 25% from 4 last week to 3 this week. **New hospital admissions** related to COVID-19 decreased by 19% from 46 last week to 37 this week, and **direct intensive care unit admissions** increased from 1 last week to 2 this week.

Deaths decreased this week with 2 deaths reported compared to 8 last week.

This week, 41 cases were reported in the **Aboriginal population**, a 28% decrease compared to last week. Case rates in the Aboriginal population are lower than the non-Aboriginal population, with a 7-day average rate ratio of 0.7 this reporting week. There were no deaths reported in the Aboriginal population this week.

Nationally, the moving seven-day average case rates decreased in all jurisdictions. Tasmania reported the highest rate (13 cases/100,000 population) and Northern Territory the lowest rate (5 cases/100,000 population). The rate in Western Australia was 10 cases/100,000 population.

Case data




Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to 25 June 2023.

Notes

Data sourced from Western Australia Department of Health dataset

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases

Notification week refers to data reported over the 7 days Monday to Sunday.




Figure 2. COVID-19 cases by age group and sex, Western Australia, 19 June to 25 June 2023.

Notes

Data sourced from Western Australia Department of Health dataset

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases

Higher case numbers in females relative to males, particularly in those aged 20-69 years, are likely due to increased propensity of women to seek and undertake testing, whether by RAT or PCR, rather than true differences in the incidence of infection

Sex data is partially incomplete due to the unavailability of this variable during rapid antigen test registration, resulting in a discrepancy to total case numbers reported for the week.

- Males: n=444 (37.6%) Females: n=738 (62.4%)
- Median age = 44 years; range: 0 to 98 years


Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 25 June 2023.

Month	Number of reinfections *		
Mar-2022	14		
Apr-2022	30		
May-2022	122		
Jun-2022	886		
Jul-2022	5,095		
Aug-2022	5,757		
Sep-2022	4,064		
Oct-2022	3,005		
Nov-2022	7,153		
Dec-2022	11,251		
Jan-2023	5,527		
Feb-2023	3,604		
Mar-2023	5,042		
Apr-2023	5,551		
May-2023	7,530		
June-2023^	3,035		
Total	67,666		

* Reinfection definition: between 2nd March 2022 and 8th July 2022, COVID-19 reinfections were defined as a positive COVID-19 test that occurred more than 12 weeks after an initial infection. From 9 July 2022 to 13 October 2022, COVID-19 reinfections were defined as a positive COVID-19 test occurring 28 days after previously recovering from the virus. From 14 October 2022 to date, COVID-19 reinfections are defined as a positive COVID-19 test occurring 35 days after the date of positive test for the most recent infection. Sourced from Series of National Guidelines (SoNG)

^ Data up to 26th June 2023 inclusive

Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction, 01 December 2021 to 20 June 2023.



Notes


Data sourced from the jurisdictional health department datasets

Notification date refers to the date that a case is notified to the relevant jurisdictional health department

Data is only available up to and including Tuesday of current report week for all jurisdictions except Western Australia

Population denominators are sourced from Australian Bureau of Statistics December 2020 estimates.

Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 25 June 2023.




Notes

Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases Population denominator sourced from Australian Bureau of Statistics June 2021 estimates.

Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 25 June 2023.



Notes

Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Western Australia Country Health Service (WACHS) region includes all non-metropolitan health regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West

Perth metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service Population denominator sourced from Australian Bureau of Statistics 2020 estimates.

Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia.

		Current	report week	Previous report week		
Health Region Perth metropolitan region WACHS Regions		Week 19 June to 25 June		Week 12 June to 18 June 2023		
		Number	Rate^	Number	Rate [^]	
		1,251 204	59 38	1,821 298	86 56	
	Great Southern	15	24	30	49	
	Kimberley	12	33	11	31	
	Midwest	31	50	38	61	
	Pilbara	9	14	13	21	
	South West	87	48	144	79	
	Wheatbelt	37	49	31	41	
Other*		0	-	13	-	
Total		1,455	55	2,132	80	

Notes

Data sourced from Western Australia Department of Health dataset

Notification date refers to the date that a case is notified to Western Australia Department of Health

Western Australia Country Health Service (WACHS) region includes all the non-metropolitan regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West


Perth Metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service * Other includes cases with overseas and interstate residential addresses, and cases without residential address information

* Other includes cases with overseas and interstate residential addresses, and cases without residential address information A Rate reported as cases per 100,000 population. The total rate excludes "Other" cases, as there is no denominator population representing this group.

Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases Population denominator is sourced from Australian Bureau of Statistics 2020 estimates.

Figure 6 (a). Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Western Australia, 19 June to 25 June 2023.

(b) Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Perth metropolitan area, 19 June to 25 June 2023.



Notes

Data sourced from Western Australia Department of Health dataset


Notification date refers to the date that a case is notified to Western Australia Department of Health

Areas on the map are defined by Local Government Area (LGA) boundaries

Cases are represented on the map according to their place of usual residence in an LGA (no information for specific location of acquisition) Population denominator is sourced from Australian Bureau of Statistics 2020 estimates.

Aboriginal case summary

Figure 7. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notification week, Western Australia, 09 October 2022 to 25 June 2023.



Notes

Data sourced from Western Australia Department of Health dataset

Notification week refers to data reported over the 7 days Monday to Sunday

Aboriginal status is defined as those who identify as 'Aboriginal and Torres Strait Islander (TSI) origin'/'Aboriginal but not TSI origin'/'TSI but not Aboriginal origin'

Cases where Aboriginal status was not stated were designated as non-Aboriginal

Population denominator data were sourced from Australian Bureau of Statistics 2020 estimates

Rate ratio is calculated by dividing the Aboriginal rate by the non-Aboriginal rate, with a 7-day average of the respective rate ratios applied to smooth the trend

Hospitalisations, intensive care unit (ICU) inpatients and deaths

Hospitalised 500 450 7-day average of COVID-19 hospitalised cases 400 350 300 250 200 150 100 50 -1 2021/2022 2021/2022 2021/2022 2021/2022 0 1316212023202 0510212023202 23/01/2022 09/01/2022 1112/2022 22022202220222022 212022202220222022 2010212022022022 220222022023202 2122220022023202 251280220220 04/09/202 1202220222022202 1201208202202202 24101010822108202 12106120 14/05/25 28/05/29 18/09/7 25/06/ Notification week

Figure 8. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 25 June 2023.

Notes

Data sourced from Western Australia Department of Health dataset

Notification week refers to data reported over the 7 days Monday to Sunday

'Hospitalised' relates to active and cleared COVID-19 cases that are current hospital inpatients. The reason for admission may be unrelated to COVID-19 for some people

'Intensive care unit' (ICU) is a subset of hospitalised and relates to active/cleared COVID-19 cases that are currently in an ICU The definition of COVID-19 related hospitalisation was updated on 21 October 2022 to exclude cases where more than 60 days have passed since their positive COVID-19 test. This new definition more accurately captures cases in whom COVID-19 may have contributed to their reason for ongoing hospitalisation. Data reported after 21 October cannot be compared directly to data recorded prior to that date. Table 3. Number of COVID-19 related deaths by sex and age group, 19 June to 25 June 2023 and 01 January 2022 to 25 June 2023.


	Current report week	Year 2022 to date	
	Week 19 June – 25 June 2023	1 Jan 2022 – 25 June 2023	
Sex	Deaths (n= 2)	Deaths (n= 1,100)	
Female	2 (75.0%)	538 (48.8%)	
Male	0 (25.0%)	562 (51.2%)	
Unspecified	0 (0%)	0 (0%)	
Age group (years)			
0-9	0 (0%)	0 (0%)	
10-19	0 (0%)	2 (0.2%)	
20-29	0 (0%)	0 (0%)	
30-39	0 (0%)	7 (0.6%)	
40-49	0 (0%)	13 (1.2%)	
50-59	0 (0%)	33 (3.0%)	
60-69	1 (12.5%)	74 (6.6%)	
70-79	1 (12.5%)	203 (18.5%)	
80-89	4 (50.0%)	420 (38.3%)	
90+	2 (25.0%)	348 (31.6%)	

Notes

Data sourced from Western Australia Department of Health dataset Deaths are counted by notification date and may include historical deaths that occurred (i.e. date of death) prior to the current report week Deaths are not necessarily associated with hospital and/or ICU admissions

Testing data

Figure 9. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category and week of specimen collection, 09 February 2020 to 25 June 2023.



Notes

Data sourced from Western Australian public and private pathology laboratories

Specimen collect week refers to specimens collected between Monday to Sunday

Number of tests includes both positive and negative tests

From 01 October 2022, testing at private pathology providers requires a referral from a GP

From 03 March 2023, Murdoch COVID-19 public PCR testing clinic closed. From this time forward public access to COVID-19 PCR testing is only via GP referral to private pathology providers.

Appendix 1

Number of regional cases by postcode, 19 June - 25 June 2023

WACHS Regions	Postcode	Week 19 June to 25 June 2023	WACHS Regions	Postcode	Week 19 June to 25 June 2023
Goldfields			South West		
_	6430	8	(continued)	6271	8
-	6432	<5		6275	<5
-	6438	<5		6280	6
_	6442	<5		6281	<5
	6450	<5		6284	<5
Great Southern	6324	<5		6285	6
	6330	8		6398	<5
	6333	<5		6302	<5
	6337	<5		6304	<5
Kimberley	6725	10		6306	<5
	6726	<5		6312	<5
	6728	<5		6375	<5
Midwest	4680	<5	-	6383	<5
	6530	23	-	6390	<5
	6532	<5	-	6401	10
	6620	<5		6407	<5
-	6701	<5		6415	<5
	6707	<5		6502	<5
Pilbara	6714	<5	-	6503	<5
-	6720	<5	Wheatbelt	6507	<5
	6721	<5		6564	<5
-	6722	<5		6566	<5
-	6751	<5		6603	<5
South West	6753	<5	-		
-	6225	<5	-		
Notes	6226	<5			
	6230	31			
	6232	6			
	6233	6			
	6239	<5	-		
	6253	<5	-		
	6255	<5	-		
	6258	<5			

Notes

Data sourced from Western Australia Department of Health dataset

Exact number of cases less than 5 not reported for confidentiality

Notification date refers to the date in which a case is notified to Western Australia Department of Health

Case data is based on the residential postcode of each case Western Australia Country Health Service (WACHS) includes Goldfields, Great Southern, Kimberley, Midwest, Pilbara, South West and Wheatbelt public health regions

This document can be made available in alternative formats on request for a person with disability.

© Department of Health 2023

Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.

health.wa.gov.au