



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 09-APR-22 to 03-JUN-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		1	5	6	1	1.9	0.5
Hepatitis B (unspecified)	14	5	4	14	9	16	4	7	170	299	188	36	36.5	1.0
Hepatitis C (newly acquired)		3		2	1		1	2	25	30	42	4	8.1	0.5
Hepatitis C (unspecified)	10	9	5	13	13	12	17	12	295	448	332	54	67.5	0.8
Hepatitis D						1	1		3	3	0	2	0.4	5.0
Enteric diseases														
Campylobacteriosis	62	59	58	58	62	67	65	51	1322	1223	1131	245	204.3	1.2
Cryptosporidiosis	2	2	10	7	2	5	2	5	154	67	453	14	15.1	0.9
Hepatitis A						1			3	1	6	1	0.7	1.5
Listeriosis									1	3	1	0	0.5	0.0
Rotavirus	3	8	5	9	7	5	4	2	142	54	101	18	31.3	0.6
STEC/VTEC infection	3	4	5	2	4	5	3	2	88	48	59	14	5.9	2.4
Salmonellosis	19	16	13	16	10	8	11	9	417	547	946	38	149.1	0.3
Shigellosis	3	3	3	2	3	3	4	3	53	42	141	13	14.4	0.9
Typhoid								1	6	1	3	1	0.4	2.5
Vibrio parahaemolyticus				1					3	3	2	0	0.9	0.0
Yersiniosis			1				2	1	11	17	5	3	1.7	1.7
Sexually transmissible infections														
Chlamydia (genital)	159	141	165	198	231	237	218	211	4513	4723	4765	897	845.1	1.1
Gonorrhoea	44	41	58	68	68	68	61	51	1236	1194	1722	248	258.1	1.0
Syphilis (congenital)									2	3	0	0	0.2	0.0
Syphilis - Infectious	14	12	15	16	20	13	36	19	362	371	302	88	41.5	2.1
Syphilis - Non-Infectious	4	3	1	4	7	3	8		92	86	90	18	16.5	1.1
Vaccine preventable diseases														
Influenza	1	7	8	18	42	101	159	285	632	15	1162	587	1127.0	0.5
Mumps									1	1	9	0	1.4	0.0
Pertussis	1	1		1		1			17	15	100	1	52.4	0.0
Pneumococcal infection	2	1	5	4	6	1	4	8	62	36	47	19	17.3	1.1
Varicella (chicken pox)	2	5	4	7	2	8	7	3	136	171	176	20	39.7	0.5
Varicella (shingles)	38	40	29	29	34	43	40	19	991	1191	1032	136	172.4	0.8
Varicella (unspecified)	46	36	34	43	46	51	53	61	1070	712	568	211	115.4	1.8
Vector-borne diseases														
Barmah Forest virus			1		1	1		1	11	7	13	3	2.1	1.4
Chikungunya			1						2	0	6	0	0.3	0.0
Dengue fever			2			1	1		6	0	62	2	10.2	0.2
Malaria	1			1				1	9	6	24	1	3.0	0.3
Ross River virus	3	4	5	4	2	6	2	2	384	444	162	12	48.9	0.2
Typhus		1		1	1	2			7	9	14	3	1.5	2.0
Zoonotic diseases														
Q Fever							1		2	2	3	1	0.7	1.5
Other diseases														
Acute post-streptococcal glomerulonephritis		3			1			1	11	2	1	2	0.4	5.0
COVID-19	19670	22002	21727	23177	32842	34604	25958	18256	322870	162	589	111660	12.9	8678.2
Creutzfeldt-Jakob disease									1	3	2	0	0.6	0.0
Legionellosis	2	4	1		6	1	2	4	31	31	36	13	5.1	2.6
Leprosy									1	1	0	0	0.1	0.0
Melioidosis		1							2	4	4	0	0.5	0.0
Meningococcal infection		1			2		1	1	9	6	5	4	1.3	3.2
RSV	17	10	6	5	9	2	12	15	947	2	0	38	0.0	0.0
Tuberculosis	1	3	3		2	2		5	37	51	50	9	10.2	0.9
iGAS	5	5	3	5	7	2	1	3	80	0	0	13	0.0	0.0
Grand Total	20126	22430	22172	23705	33440	35270	26679	19041						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		1	4	4	1	1.2	0.8
Hepatitis B (unspecified)	11	4	3	12	7	14	4	6	136	216	161	31	30.3	1.0
Hepatitis C (newly acquired)		1		2	1		1	1	19	26	32	3	6.4	0.5
Hepatitis C (unspecified)	10	9	4	11	9	8	12	8	217	318	238	37	48.4	0.8
Hepatitis D						1			2	3	0	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	49	49	46	44	49	50	54	43	1052	950	907	196	161.0	1.2
Cryptosporidiosis	2	2	5	5	2	4	2	3	117	25	396	11	8.5	1.3
Hepatitis A						1			2	1	5	1	0.5	1.9
Listeriosis									1	1	0	0	0.4	0.0
Rotavirus	2	6	5	7	6	5	3	2	120	49	82	16	19.7	0.8
STEC/VTEC infection	1	4	4	2	2	3	1	1	57	35	47	7	4.8	1.5
Salmonellosis	15	8	9	12	5	5	6	5	290	381	715	21	111.0	0.2
Shigellosis	1	1	2	1	2		1	3	23	9	73	6	6.1	1.0
Typhoid									5	0	3	0	0.3	0.0
Vibrio parahaemolyticus				1					3	3	2	0	0.6	0.0
Yersiniosis			1				2	1	10	12	5	3	1.4	2.1
Sexually transmissible infections														
Chlamydia (genital)	133	112	136	150	187	189	179	159	3583	3729	3690	714	660.7	1.1
Gonorrhoea	30	23	38	40	50	44	36	33	787	724	1204	163	173.9	0.9
Syphilis - Infectious	11	8	10	12	13	7	26	16	260	206	196	62	26.3	2.4
Syphilis - Non-Infectious	1	2		2	5	2	3		55	62	77	10	12.1	0.8
Vaccine preventable diseases														
Influenza	1	4	6	11	27	70	118	183	428	6	933	398	898.7	0.4
Pertussis	1	1		1		1			14	13	79	1	35.5	0.0
Pneumococcal infection				3	5		2	5	30	23	17	12	10.1	1.2
Varicella (chicken pox)	1	2	3	6	1	4	4	2	94	125	123	11	29.5	0.4
Varicella (shingles)	28	30	20	21	22	30	23	10	677	839	750	85	120.9	0.7
Varicella (unspecified)	43	36	30	38	42	43	50	60	991	682	547	195	111.3	1.8
Vector-borne diseases														
Barmah Forest virus					1			1	3	0	3	2	0.7	3.0
Chikungunya			1						2	0	2	0	0.3	0.0
Dengue fever			2			1	1		6	0	48	2	7.8	0.3
Malaria	1							1	8	5	18	1	2.5	0.4
Ross River virus	2	2	3	3	1	4	1	1	254	239	88	7	28.4	0.2
Typhus					1	1			3	1	8	2	0.8	2.5
Zoonotic diseases														
Q Fever							1		1	1	2	1	0.2	5.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1							1	0	0	0	0.0	0.0
COVID-19	16750	19163	19061	20714	29199	30843	22904	16189	284710	71	378	99135	5.9	16708.1
Creutzfeldt-Jakob disease									1	3	2	0	0.4	0.0
Legionellosis		4			6		2	4	23	18	21	12	3.5	3.5
Leprosy									1	1	0	0	0.1	0.0
Meningococcal infection		1			2		1	1	9	2	2	4	0.7	5.5
RSV	9	7	4	2	6		9	8	459	0	0	23	0.0	0.0
Tuberculosis		3	3		1	1		5	29	48	48	7	9.1	0.8
iGAS	2	1	2	3	1	2			42	0	0	3	0.0	0.0
Grand Total	17104	19484	19398	21103	29653	31333	23447	16751						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)								1 (1)	0.1
Hepatitis B (unspecified)	2	8 (7)	4.5		10 (7)	5.2	4	13 (16)	9.2
Hepatitis C (newly acquired)		1 (2)	0.1	1	1 (1)	0.9		1 (2)	1.6
Hepatitis C (unspecified)		3 (8)	4.1	5	15 (13)	12.7	3	19 (21)	13.8
Hepatitis D		1 (1)	0.3						
Enteric diseases									
Campylobacteriosis	10	62 (60)	47.8	15	72 (39)	54.3	18	62 (46)	45.4
Cryptosporidiosis	1	2 (1)	4.3		3 (2)	2.4	2	6 (2)	9.3
Hepatitis A						0.1		1	0.1
Listeriosis			0.1						
Rotavirus		5 (3)	4.5	1	2	5.4	1	9 (3)	6.9
STEC/VTEC infection	1	3 (2)	1.8		1 (2)	2.5		3	3.7
Salmonellosis	2	7 (17)	13.0	2	7 (18)	12.1	1	7 (18)	15.3
Shigellosis	2	2 (2)	0.9		2	0.9	1	2 (1)	1.4
Typhoid									0.7
Vibrio parahaemolyticus									0.4
Yersiniosis		2 (2)	0.7	1	1	0.6		(2)	0.1
Sexually transmissible infections									
Chlamydia (genital)	56	250 (219)	149.8	31	204 (202)	159.0	72	260 (263)	191.1
Gonorrhoea	9	43 (44)	28.3	8	45 (48)	33.7	16	75 (64)	47.7
Syphilis (congenital)									
Syphilis - Infectious	4	15 (8)	9.5	1	13 (20)	8.1	11	34 (18)	18.4
Syphilis - Non-Infectious		6 (5)	2.3		(4)	1.6		4 (5)	3.7
Vaccine preventable diseases									
Influenza	78	162	24.0	45	97	15.1	60	139	20.3
Mumps									
Pertussis		(3)	0.7		1	0.7		(1)	0.5
Pneumococcal infection	1	4 (3)	1.2	1	3 (4)	1.5	3	5 (3)	1.5
Varicella (chicken pox)		2 (4)	4.9	1	3 (7)	4.8	1	6 (8)	3.5
Varicella (shingles)	5	28 (50)	32.2	1	34 (44)	36.5	4	23 (34)	26.3
Varicella (unspecified)	20	75 (35)	45.1	23	65 (50)	50.9	17	55 (30)	42.9
Vector-borne diseases									
Barmah Forest virus					1	0.1	1	1	0.3
Chikungunya			0.1			0.1			
Dengue fever		1	0.4		1	0.4			
Malaria		(1)	0.5	1	1	0.4		(1)	0.1
Ross River virus		1 (10)	6.0		1 (17)	16.7	1	5 (19)	13.3
Typhus		1	0.1		1 (1)	0.3			
Zoonotic diseases									
Q Fever								1	0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.1			
COVID-19	5470	34319 (1)	13742.2	4965	31460 (1)	12438.1	5754	33356 (1)	13521.7
Creutzfeldt-Jakob disease						0.1			
Legionellosis	1	7 (5)	1.8	2	2	0.6	1	3 (1)	0.8
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection	1	1	0.4		3	0.6			0.3
RSV	4	10	18.3	3	6	23.4	1	7	22.6
Tuberculosis		(6)	1.1		1	0.4	5	6 (4)	2.4
iGAS			1.4		1	2.4		2	2.2
Grand Total	5667	35021 (499)		5107	32057 (480)		5977	34106 (565)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(3)	4.3		1 (1)	1.6			4.0
Hepatitis C (newly acquired)			1.6	1	1	4.9			
Hepatitis C (unspecified)		4 (6)	9.8		1 (1)	21.1	1	3 (3)	14.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	15 (19)	56.0	4	8 (4)	83.0	1	7 (4)	37.7
Cryptosporidiosis	2	3 (2)	4.3		(1)	6.5			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2			3.3			5.4
STEC/VTEC infection		4 (1)	4.9		1	6.5			6.7
Salmonellosis	1	2 (7)	20.7		2 (2)	13.0		1 (4)	13.5
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
Sexually transmissible infections									
Chlamydia (genital)	9	32 (46)	96.8	3	11 (11)	79.7	1	9 (8)	83.5
Gonorrhoea		(6)	12.5			9.8		1 (2)	17.5
Syphilis (congenital)									
Syphilis - Infectious		(2)	1.1			3.3		1 (1)	4.0
Syphilis - Non-Infectious			2.2			1.6			2.7
Vaccine preventable diseases									
Influenza	10	21 (2)	14.1	4	5	9.8	1	4 (1)	5.4
Mumps									
Pertussis									
Pneumococcal infection	1	2	1.6			3.3			1.3
Varicella (chicken pox)		1 (1)	8.2	1	2	8.1		2	5.4
Varicella (shingles)	7	26 (16)	82.1		6 (11)	60.2	1	3 (6)	45.8
Varicella (unspecified)		4	2.2		3	29.3	1	4	29.6
Vector-borne diseases									
Barmah Forest virus		1	0.5						
Chikungunya									
Dengue fever									
Malaria									
Ross River virus	1	3 (11)	27.2		(4)	37.4		1 (14)	16.2
Typhus			1.1		1	3.3			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	940	6445 (1)	8234.8	222	1225 (1)	4659.5	157	1155	4043.2
Creutzfeldt-Jakob disease									
Legionellosis		(4)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	2	6	42.9			43.9		1	20.2
Tuberculosis			1.1		1	1.6			
iGAS			2.7			3.3			1.3
Grand Total	975	6569 (127)		235	1268 (36)		163	1192 (43)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(3)	6.7			5.9	2 (2)		11.8
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	3	7 (4)	20.2	1		11.9	1 (2)		16.9
Hepatitis D		1	1.7						
Enteric diseases									
Campylobacteriosis	1	8 (6)	43.8		3 (4)	33.6		4 (6)	49.1
Cryptosporidiosis			1.7			4.0			15.2
Hepatitis A									
Listeriosis									
Rotavirus		1	3.4				1		6.8
STEC/VTEC infection			8.4			4.0			5.1
Salmonellosis		2 (2)	26.9			5.9	1	4 (6)	38.9
Shigellosis		(1)	6.7	1 (2)		11.9		2 (1)	10.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	16 (25)	192.0	7	25 (24)	253.2	12	40 (37)	262.3
Gonorrhoea		3 (4)	38.7	3	20 (18)	146.4	5	22 (17)	204.7
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious		3	16.8	2	5 (1)	25.7		9 (17)	59.2
Syphilis - Non-Infectious		1 (2)	11.8		1 (4)	11.9		2 (2)	15.2
Vaccine preventable diseases									
Influenza	26	53	92.6	9	15	29.7	19	24 (1)	42.3
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection			3.4	2	3	23.7		(1)	8.5
Varicella (chicken pox)		1	10.1		1 (1)	7.9		2 (1)	11.8
Varicella (shingles)	1	5 (4)	32.0		3 (4)	53.4		4 (4)	25.4
Varicella (unspecified)		4 (4)	45.5			2.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		(6)	10.1			4.0		(4)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)				1	1	2.0			
COVID-19	238	1154	5080.5	102	564	4232.0	168	823	6776.8
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	2	2	136.4			11.9			162.4
Tuberculosis			1.7			2.0			
iGAS		2	8.4			5.9	2	4	16.9
Grand Total	273	1263 (62)		126	643 (58)		207	944 (101)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.0
Hepatitis B (unspecified)			11.6	7	36 (39)	6.3
Hepatitis C (newly acquired)				2	4 (6)	0.9
Hepatitis C (unspecified)		(4)	17.4	12	54 (62)	11.2
Hepatitis D				0	2 (1)	0.1
Enteric diseases						
Campylobacteriosis		2 (2)	26.1	51	245 (192)	49.5
Cryptosporidiosis		(3)	29.1	5	14 (12)	5.8
Hepatitis A				0	1 (0)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus			17.4	2	18 (6)	5.3
STEC/VTEC infection		1	5.8	2	14 (5)	3.3
Salmonellosis	2	5 (4)	66.8	9	38 (80)	15.6
Shigellosis		3 (3)	34.9	3	13 (14)	2.0
Typhoid				1	1 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	3 (4)	0.4
Sexually transmissible infections						
Chlamydia (genital)	14	37 (39)	575.2	211	897 (881)	169.0
Gonorrhoea	10	36 (26)	525.8	51	248 (231)	46.3
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	4 (3)	93.0	19	88 (70)	13.6
Syphilis - Non-Infectious		4	20.3	0	18 (22)	3.3
Vaccine preventable diseases						
Influenza	30	45	130.7	285	587 (4)	23.7
Mumps				0	0 (0)	0.0
Pertussis				0	1 (4)	0.6
Pneumococcal infection		1	14.5	8	19 (11)	2.3
Varicella (chicken pox)				3	20 (25)	5.1
Varicella (shingles)		3 (8)	66.8	19	136 (184)	37.1
Varicella (unspecified)		(1)	8.7	61	211 (121)	40.1
Vector-borne diseases						
Barmah Forest virus			11.6	1	3 (1)	0.4
Chikungunya				0	0 (0)	0.1
Dengue fever				0	2 (0)	0.2
Malaria				1	1 (2)	0.3
Ross River virus		(3)	72.6	2	12 (89)	14.4
Typhus				0	3 (3)	0.3
Zoonotic diseases						
Q Fever				0	1 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	26.1	1	2 (1)	0.4
COVID-19	124	532	11539.5	18256	111660 (8)	12091.1
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis			2.9	4	13 (12)	1.2
Leprosy				0	0 (1)	0.0
Melioidosis		(1)	5.8	0	0 (1)	0.1
Meningococcal infection				1	4 (0)	0.3
RSV	3	4	502.6	15	38 (0)	35.5
Tuberculosis				5	9 (10)	1.0
iGAS	1	3	32.0	3	13 (0)	3.0
Grand Total	185	681 (98)		19041	114430 (2106)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2022	2021
	Salmonella Total	19	16	13	16	10	8	11	9	417
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam									1	0
Salmonella Anatum				1		1	1		7	7
Salmonella Anatum var 15+		1							1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa						1			1	0
Salmonella Bovismorbificans	1				1				6	5
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester		1	1	1					7	7
Salmonella Choleraesuis bv Australia		1					1		6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis							1		2	2
Salmonella Eastbourne				1					3	2
Salmonella Enteritidis				1					3	7
Salmonella Essen									0	0
Salmonella Fremantle subsp II	1								1	3
Salmonella Give							1		4	4
Salmonella Give var 15+									0	0
Salmonella Havana				1					3	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis	1		1			1			7	23
Salmonella Irumu									1	1
Salmonella Johannesburg									2	2
Salmonella Kentucky					2		1		3	1
Salmonella Kiambu	1		1	1					8	2
Salmonella Litchfield									3	3
Salmonella Mgulani									2	0
Salmonella Muenchen		1	1						10	10
Salmonella Newport						1			3	8
Salmonella Ohlstedt									2	0
Salmonella Oranienburg	1						1		14	5
Salmonella Orientalis				1					1	0
Salmonella Orion	1		1		1				6	5
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java			1	1	1				5	2
Salmonella Poona								1	1	4
Salmonella Potsdam									4	7
Salmonella Reading									6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul		2	1	1		1	1	1	19	17
Salmonella Schwarzengrund			1						1	0
Salmonella Senftenberg		1							2	2
Salmonella Stanley				1	1			1	13	4
Salmonella Tennessee	1								3	3

Weekly Report for period 09-APR-22 to 03-JUN-22

	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	Cumulative Total to end of Week 22	
									2022	2021
Salmonella Total	19	16	13	16	10	8	11	9	417	512
Serotype/Phage										
Salmonella Thompson									1	0
Salmonella Typhimurium	8	7	5	3	1		2		166	298
Salmonella Virchow					1		2		6	12
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1
Salmonella Welikade					1				3	0
Salmonella Weltevreden									2	2
Salmonella species	4	2		3	1	3		6	49	27
Salmonella subsp 1 ser 4,5:d:-									3	0
Salmonella subsp I ser 16:l,v:-									1	2
Salmonella subsp IIIb 61:l,v:z35									1	0