



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 30-APR-22 to 24-JUN-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					1	6	7	0	1.3	0.0
Hepatitis B (unspecified)	14	9	16	4	7	4	9	11	195	317	225	31	38.5	0.8
Hepatitis C (newly acquired)	2	1		2	2			1	27	33	52	3	7.9	0.4
Hepatitis C (unspecified)	13	13	12	16	12	14	12	19	342	483	374	57	68.3	0.8
Hepatitis D			1	1					3	4	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	60	60	68	70	57	72	71	55	1535	1376	1252	255	216.3	1.2
Cryptosporidiosis	7	2	5	2	10	4	4	6	173	73	458	24	10.4	2.3
Hepatitis A			1		1				4	1	6	1	0.5	2.1
Listeriosis									1	3	1	0	0.6	0.0
Rotavirus	9	7	5	4	2	2	3	2	150	79	107	9	34.1	0.3
STEC/VTEC infection	2	4	6	4	3	3	3	3	100	54	65	12	5.3	2.3
Salmonellosis	16	10	8	12	19	9	12	11	460	583	1057	51	137.3	0.4
Shigellosis	2	3	3	4	3	3	4	2	62	46	152	12	15.5	0.8
Typhoid					1				6	1	3	1	0.4	2.5
Vibrio parahaemolyticus	1								3	3	2	0	0.5	0.0
Yersiniosis				2	1		1	1	13	17	8	3	1.7	1.8
Sexually transmissible infections														
Chlamydia (genital)	198	231	241	223	227	200	203	208	5162	5327	5363	838	854.8	1.0
Gonorrhoea	69	68	68	63	56	65	67	46	1423	1360	1933	234	262.2	0.9
Syphilis (congenital)									2	3	1	0	0.1	0.0
Syphilis - Infectious	16	21	14	30	11	16	39	29	428	411	339	95	43.5	2.2
Syphilis - Non-Infectious	4	7	3	8		1	4	3	103	110	103	8	17.1	0.5
Vaccine preventable diseases														
Influenza	19	43	105	161	313	514	881	933	2999	20	1179	2641	1389.9	1.9
Mumps									1	1	9	0	1.1	0.0
Pertussis	1		1				1		18	16	101	1	52.3	0.0
Pneumococcal infection	4	6	1	4	8	4	9	4	79	58	62	25	21.1	1.2
Varicella (chicken pox)	7	2	8	9	7	4	7	2	155	199	215	20	42.3	0.5
Varicella (shingles)	30	37	48	44	38	38	35	18	1119	1336	1190	129	174.1	0.7
Varicella (unspecified)	43	43	50	50	48	49	47	62	1206	799	672	206	117.1	1.8
Vector-borne diseases														
Barmah Forest virus		1	1		1				12	8	13	1	2.0	0.5
Chikungunya									2	0	6	0	0.1	0.0
Dengue fever		1	1		1	2			9	0	62	3	10.5	0.3
Malaria	1				1	1	2		12	6	26	4	3.2	1.3
Ross River virus	3	3	6	2	3	2	1	1	390	480	174	7	38.2	0.2
Typhus	1		2		1	1	1		8	9	15	3	1.8	1.7
Zoonotic diseases														
Q Fever	1								2	2	4	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1			1		1	1	13	2	1	3	0.5	6.4
COVID-19	23177	32839	34607	25959	18283	15321	12554	10607	361366	167	600	56765	10.5	5389.1
Creutzfeldt-Jakob disease							1		2	3	3	1	0.3	3.0
Legionellosis		6	1	2	3		1	1	32	32	39	5	4.9	1.0
Leprosy									1	1	0	0	0.1	0.0
Melioidosis				1					3	4	4	0	0.5	0.0
Meningococcal infection		2		1			1		10	6	5	2	1.3	1.5
RSV	5	9	2	12	15	15	24	35	1024	2	0	89	0.0	0.0
Tuberculosis		2	2		5	2	1	2	42	59	54	10	11.0	0.9
iGAS	5	7	2	1	4	3	6	1	91	0	0	14	0.0	0.0
Grand Total	23710	33438	35288	26692	19145	16349	14005	12064						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2022	2021	2020			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)				1					1	5	5	0	0.9	0.0
Hepatitis B (unspecified)	12	7	14	4	6	3	6	8	154	231	193	23	32.0	0.7
Hepatitis C (newly acquired)	2	1		1	1			1	20	29	39	2	6.0	0.3
Hepatitis C (unspecified)	11	9	8	12	8	11	9	11	250	344	264	39	49.1	0.8
Hepatitis D			1						2	4	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	46	47	51	58	47	49	52	44	1207	1071	1006	192	172.6	1.1
Cryptosporidiosis	5	2	4	2	4	3	3	4	128	28	399	14	5.9	2.4
Hepatitis A			1		1				3	1	5	1	0.3	3.0
Listeriosis									1	1	0	0	0.5	0.0
Rotavirus	7	6	5	3	2	2	2	1	126	71	85	7	22.3	0.3
STEC/VTEC infection	2	2	3	1	1	2	2	1	62	41	52	6	4.0	1.5
Salmonellosis	12	5	5	7	12	8	9	7	322	410	804	36	102.7	0.4
Shigellosis	1	2		1	3	1	2	2	28	11	76	8	7.3	1.1
Typhoid									5	0	3	0	0.4	0.0
Vibrio parahaemolyticus	1								3	3	2	0	0.3	0.0
Yersiniosis				2	1		1	1	12	12	7	3	1.5	2.0
Sexually transmissible infections														
Chlamydia (genital)	151	187	190	182	170	159	158	151	4076	4197	4166	638	665.7	1.0
Gonorrhoea	41	50	45	37	36	42	40	26	902	823	1343	144	177.7	0.8
Syphilis - Infectious	12	14	8	22	10	11	23	24	305	225	218	68	27.8	2.4
Syphilis - Non-Infectious	2	5	2	3		1		1	58	75	87	2	12.1	0.2
Vaccine preventable diseases														
Influenza	12	28	73	118	197	316	527	555	1846	10	946	1595	1117.2	1.4
Pertussis	1		1				1		15	14	80	1	36.3	0.0
Pneumococcal infection	3	5		2	5	3	3	2	39	37	23	13	12.3	1.1
Varicella (chicken pox)	6	1	4	6	6	3	7	1	111	147	151	17	31.9	0.5
Varicella (shingles)	21	24	35	26	26	26	27	12	769	939	856	91	122.2	0.7
Varicella (unspecified)	38	40	42	47	47	46	42	60	1120	766	647	195	112.9	1.7
Vector-borne diseases														
Barmah Forest virus		1			1				3	1	3	1	0.5	2.1
Chikungunya									2	0	2	0	0.1	0.0
Dengue fever		1	1			1			7	0	48	1	8.3	0.1
Malaria					1	1	2		11	5	20	4	2.6	1.5
Ross River virus	2	1	4	1	1	1	1	1	257	256	98	4	21.8	0.2
Typhus			1		1	1	1		4	1	8	3	1.1	2.8
Zoonotic diseases														
Q Fever	1								1	1	2	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis							1	1	3	0	0	2	0.0	0.0
COVID-19	20712	29197	30842	22905	16199	13693	11214	9505	319125	75	389	50611	5.3	9489.6
Creutzfeldt-Jakob disease							1		2	3	3	1	0.1	7.5
Legionellosis		6		2	3		1	1	24	19	23	5	3.3	1.5
Leprosy							1		1	1	0	0	0.1	0.0
Meningococcal infection		2		1	1		1		10	2	2	2	0.9	2.3
RSV	2	6		9	8	10	17	25	511	0	0	60	0.0	0.0
Tuberculosis		1	1		5	2		1	32	56	52	8	10.0	0.8
iGAS	3	1	2		1	1	3	1	48	0	0	6	0.0	0.0
Grand Total	21106	29651	31343	23453	16804	14396	12156	10447						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									0.1
Hepatitis B (unspecified)	3	8 (4)	5.4	3	4 (4)	5.8	2	11 (10)	10.2
Hepatitis C (newly acquired)			0.1	1	2 (2)	1.2		(2)	1.5
Hepatitis C (unspecified)	3	8 (6)	5.1	3	17 (13)	14.3	5	14 (16)	15.7
Hepatitis D			0.3						
Enteric diseases									
Campylobacteriosis	17	78 (71)	57.3	15	50 (47)	59.5	12	64 (47)	52.1
Cryptosporidiosis	1	4 (3)	4.7	2	6 (1)	3.3	1	4	9.6
Hepatitis A						0.1		1	0.3
Listeriosis			0.1						
Rotavirus		1 (8)	4.6	1	4 (7)	6.0		2 (10)	7.0
STEC/VTEC infection		2 (4)	1.9		(1)	2.5	1	4 (2)	4.2
Salmonellosis	3	14 (12)	14.6	2	7 (13)	12.8	2	15 (11)	17.3
Shigellosis		4 (1)	1.2	1	1	1.0	1	3 (3)	1.6
Typhoid									0.7
Vibrio parahaemolyticus									0.4
Yersiniosis		(1)	0.7	1	3	0.9			0.1
Sexually transmissible infections									
Chlamydia (genital)	36	176 (201)	166.7	43	174 (200)	180.6	72	288 (241)	221.3
Gonorrhoea	5	30 (36)	31.3	1	28 (42)	37.0	20	86 (61)	57.3
Syphilis (congenital)									
Syphilis - Infectious	3	10 (12)	9.9	9	18 (12)	10.4	12	40 (12)	21.9
Syphilis - Non-Infectious			2.4		1 (5)	1.8	1	1 (8)	3.8
Vaccine preventable diseases									
Influenza	207	668 (1)	103.9	131	377 (3)	65.0	217	550	87.1
Mumps									
Pertussis		(2)	0.7		1 (1)	0.9		(1)	0.5
Pneumococcal infection		3 (6)	1.5	2	4 (7)	1.9		6 (3)	2.0
Varicella (chicken pox)		7 (12)	6.0		3 (8)	5.2	1	7 (4)	4.3
Varicella (shingles)	2	42 (43)	37.4	3	21 (53)	40.6	7	28 (32)	29.9
Varicella (unspecified)	22	66 (46)	51.2	21	68 (40)	57.0	17	61 (35)	48.8
Vector-borne diseases									
Barmah Forest virus					(1)	0.1		1	0.3
Chikungunya			0.1			0.1			
Dengue fever			0.4			0.4		1	0.1
Malaria		2	0.8		1	0.4		1	0.3
Ross River virus		1 (6)	6.1	1	2 (11)	16.7		1 (15)	13.5
Typhus		1	0.1		2	0.4			
Zoonotic diseases									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1	0.1			0.1	1	1	0.1
COVID-19	3679	18304 (3)	15479.7	2785	15269 (1)	13974.7	3041	17038 (2)	15049.6
Creutzfeldt-Jakob disease						0.1		1	0.1
Legionellosis		1 (3)	1.8	1	3	0.7		1 (1)	0.8
Leprosy									0.1
Melioidosis									
Meningococcal infection		2	0.5			0.6			0.3
RSV	7	23	20.9	10	20	26.0	8	17	24.8
Tuberculosis		(3)	1.1		1 (1)	0.6	1	7 (7)	2.7
iGAS		1	1.5		1	2.5	1	4	2.7
Grand Total	3988	19457 (484)		3036	16088 (473)		3423	18258 (523)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)					1	3.3		1	5.4
Hepatitis B (unspecified)		(2)	4.3						
Hepatitis C (newly acquired)			1.6	1		6.5			
Hepatitis C (unspecified)	2	7 (4)	14.1		(2)	19.5	1	2	16.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	17 (13)	65.2	1	10 (11)	94.4	3	11 (5)	51.2
Cryptosporidiosis		3 (3)	4.9		1 (1)	8.1	1	1	2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus		1 (1)	2.7			3.3			5.4
STEC/VTEC infection	2	4	7.1		2	9.8			8.1
Salmonellosis	1	2 (2)	21.2		2 (3)	16.3	1	3 (1)	17.5
Shigellosis		2	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
Sexually transmissible infections									
Chlamydia (genital)	13	35 (42)	111.4	3	10 (14)	97.6	6	12 (10)	98.3
Gonorrhoea		3 (4)	14.1		(1)	9.8		(2)	17.5
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1			3.3		2	6.7
Syphilis - Non-Infectious		(1)	2.2			1.6		1 (2)	4.0
Vaccine preventable diseases									
Influenza	47	112	69.6	15	36	63.4	11	27 (1)	40.4
Mumps									
Pertussis									
Pneumococcal infection		1 (1)	1.6			3.3	1	2	4.0
Varicella (chicken pox)	1	1 (1)	8.7		1	8.1		1	6.7
Varicella (shingles)	5	23 (18)	91.9		3 (13)	65.1	1	4 (11)	55.2
Varicella (unspecified)	1	1	2.7	1	2	32.5			25.6
Vector-borne diseases									
Barmah Forest virus			1.1						
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		2 (6)	27.7		(2)	37.4		1 (2)	17.5
Typhus			1.1			3.3			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	474	2736	9210.1	75	585	5250.1	80	481	4479.5
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	4	44.0		2	47.2	1	2	22.9
Tuberculosis			1.1		1	3.3			
iGAS		1	3.3			3.3		1	2.7
Grand Total	548	2955 (100)		95	657 (47)		106	552 (34)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)	8.4	3	3	11.9		1 (2)	13.5
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	3	6 (4)	25.3	1	2	15.8			16.9
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	3	14 (3)	65.7	1	3 (1)	39.6	1	2 (6)	52.5
Cryptosporidiosis		1	3.4	1	2	7.9			15.2
Hepatitis A									
Listeriosis									
Rotavirus			3.4	1	1	2.0			6.8
STEC/VTEC infection			8.4			4.0			5.1
Salmonellosis		(2)	26.9			5.9		3 (3)	42.3
Shigellosis			6.7			11.9		1	11.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	15 (26)	213.9	3	20 (20)	279.0	2	31 (30)	299.5
Gonorrhoea	1	3 (6)	42.1	3	14 (9)	166.2	2	18 (20)	228.4
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious		2 (1)	20.2		6 (2)	31.7	3	8 (7)	72.8
Syphilis - Non-Infectious		(1)	11.8		1 (7)	13.8	2	4 (3)	22.0
Vaccine preventable diseases									
Influenza	48	135	276.2	27	111	235.4	50	122	218.3
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection		1 (2)	5.1		2	21.8	1	2 (1)	11.8
Varicella (chicken pox)		(1)	10.1		(2)	7.9		(1)	11.8
Varicella (shingles)		1 (5)	32.0		2 (6)	57.4		1 (3)	27.1
Varicella (unspecified)		5 (3)	53.9			2.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		(12)	10.1			4.0		(2)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	2.0			
COVID-19	155	817	6057.2	37	251	4522.9	90	474	7303.0
Creutzfeldt-Jakob disease									
Legionellosis			1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		3	138.1		1	13.8	1	3	169.2
Tuberculosis			1.7			2.0			
iGAS			8.4			5.9		4	20.3
Grand Total	216	1004 (67)		77	420 (47)		152	674 (78)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (1)	0.0
Hepatitis B (unspecified)			11.6	11	31 (23)	7.3
Hepatitis C (newly acquired)				1	3 (4)	1.0
Hepatitis C (unspecified)		(2)	17.4	19	57 (48)	12.8
Hepatitis D				0	0 (1)	0.1
Enteric diseases						
Campylobacteriosis		1 (4)	29.1	55	255 (210)	57.5
Cryptosporidiosis		2 (1)	34.9	6	24 (10)	6.5
Hepatitis A				0	1 (0)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus			17.4	2	9 (28)	5.6
STEC/VTEC infection			5.8	3	12 (7)	3.7
Salmonellosis	2	4 (2)	72.6	11	51 (51)	17.2
Shigellosis		1 (3)	37.8	2	12 (7)	2.3
Typhoid				0	1 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	3 (1)	0.5
Sexually transmissible infections						
Chlamydia (genital)	20	65 (46)	729.2	208	838 (834)	193.3
Gonorrhoea	14	49 (41)	642.0	46	234 (224)	53.3
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	8 (14)	116.2	29	95 (61)	16.0
Syphilis - Non-Infectious		(1)	23.2	3	8 (28)	3.9
Vaccine preventable diseases						
Influenza	162	465	1397.4	933	2641 (5)	112.3
Mumps				0	0 (0)	0.0
Pertussis				0	1 (4)	0.7
Pneumococcal infection		2 (4)	20.3	4	25 (24)	3.0
Varicella (chicken pox)				2	20 (32)	5.8
Varicella (shingles)		1 (6)	72.6	18	129 (191)	41.9
Varicella (unspecified)		(1)	5.8	62	206 (126)	45.2
Vector-borne diseases						
Barmah Forest virus			11.6	0	1 (1)	0.4
Chikungunya				0	0 (0)	0.1
Dengue fever				0	3 (0)	0.3
Malaria				0	4 (0)	0.4
Ross River virus		(1)	75.5	1	7 (58)	14.6
Typhus				0	3 (0)	0.3
Zoonotic diseases						
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			26.1	1	3 (0)	0.5
COVID-19	93	342	12172.8	10607	56765 (7)	13532.7
Creutzfeldt-Jakob disease				0	1 (0)	0.1
Legionellosis			2.9	1	5 (6)	1.2
Leprosy				0	0 (0)	0.0
Melioidosis			8.7	0	0 (0)	0.1
Meningococcal infection				0	2 (0)	0.4
RSV	1	6	517.1	35	89 (0)	38.3
Tuberculosis				2	10 (11)	1.1
iGAS		2	34.9	1	14 (0)	3.4
Grand Total	293	948 (126)		12064	61563 (2005)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 25	
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2022	2021
	Salmonella Total	16	10	8	12	19	9	12	11	460
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam									1	0
Salmonella Anatum	1		1	1	1				8	7
Salmonella Anatum var 15+									1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa			1						1	0
Salmonella Bovismorbificans		1							6	5
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester	1					1	1		9	8
Salmonella Choleraesuis bv Australia				1					6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis				1					2	2
Salmonella Eastbourne	1								3	2
Salmonella Enteritidis	1				2			1	6	8
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give				1					4	4
Salmonella Give var 15+									0	0
Salmonella Havana	1								3	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss							1	1	3	2
Salmonella Infantis			1		2				9	23
Salmonella Irumu									1	1
Salmonella Johannesburg									2	2
Salmonella Kentucky		2		1					3	1
Salmonella Kiambu	1					1			9	2
Salmonella Litchfield									3	3
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Muenchen					1	1			12	12
Salmonella Newport			1						3	9
Salmonella Ohlstedt									2	0
Salmonella Oranienburg				1			1		15	5
Salmonella Orientalis	1								1	0
Salmonella Orion		1			1				7	6
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1	1			1	1	2		9	4
Salmonella Poona					2				2	4
Salmonella Potsdam									4	7
Salmonella Reading									7	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1		1	2	3	1		1	24	18
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg									2	2
Salmonella Stanley	1	1			1	1			14	4

Weekly Report for period 30-APR-22 to 24-JUN-22

	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	Cumulative Total to end of Week 25	
									2022	2021
Salmonella Total	16	10	8	12	19	9	12	11	460	548
Serotype/Phage										
Salmonella Tennessee									3	3
Salmonella Thompson									1	0
Salmonella Typhimurium	3	1		2			4	2	172	316
Salmonella Virchow		1		2	1		1		8	14
Salmonella Wandsbek subsp II					1	1			2	1
Salmonella Wandsworth									1	1
Salmonella Welikade		1							3	0
Salmonella Weltevreden					1				3	2
Salmonella Zanzibar						1			1	2
Salmonella species	2	1	3		1	1	2	6	46	30
Salmonella subsp 1 ser 4,5:d:-									3	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-					1				2	2
Salmonella subsp IIIb 61:l,v:z35	1								2	0
Salmonella subsp IIIb 61:z52:z53									2	0
Salmonella subsp IIIb ser									1	0