



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 10-SEP-22 to 04-NOV-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 44			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	16/09	23/09	30/09	07/10	14/10	21/10	28/10	04/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1			1				5	8	15	1	1.5	0.7
Hepatitis B (unspecified)	11	6	7	12	12	6	9	5	374	481	434	32	36.0	0.9
Hepatitis C (newly acquired)					1		1		41	68	81	2	9.1	0.2
Hepatitis C (unspecified)	17	17	12	11	20	27	16	15	681	793	687	78	71.9	1.1
Hepatitis D					1				7	9	3	1	0.5	2.1
Enteric diseases														
Campylobacteriosis	103	90	60	99	102	103	84	93	3254	2540	2322	382	296.0	1.3
Cryptosporidiosis	5	5	1	5	2	4	4	2	248	106	484	12	9.9	1.2
Hepatitis A	1	1			1				11	1	6	1	0.6	1.7
Listeriosis				1					6	4	6	0	0.5	0.0
Rotavirus	4	6	3	9	9	12	5	8	258	438	154	34	52.1	0.7
STEC/VTEC infection	4	5	2	3	4	4	3	2	171	92	96	13	7.7	1.7
Salmonellosis	14	17	12	15	24	23	20	15	745	806	1541	82	132.3	0.6
Shigellosis	4	3	3	7	4	3	6	4	148	88	200	17	16.9	1.0
Typhoid		1			1				12	2	3	1	1.2	0.8
Vibrio parahaemolyticus									4	24	3	0	2.9	0.0
Yersiniosis	2	1	3	1	1	1	1	1	33	29	12	4	1.5	2.6
Sexually transmissible infections														
Chlamydia (genital)	204	182	199	235	217	240	232	211	9451	9378	9294	900	852.5	1.1
Gonorrhoea	58	64	56	67	66	69	67	63	2733	2508	3166	265	253.6	1.0
Syphilis (congenital)								1	3	4	3	1	0.1	7.5
Syphilis - Infectious	26	12	28	15	18	13	11	11	694	702	628	53	47.2	1.1
Syphilis - Non-Infectious	6	8	2	2	3	5	4	1	188	221	191	13	15.7	0.8
Vaccine preventable diseases														
Diphtheria			1						1	0	0	0	0.0	0.0
Influenza	158	75	80	101	70	70	77	104	13423	27	1206	321	326.2	1.0
Measles								1	1	0	4	1	2.5	0.4
Mumps									1	1	10	0	1.0	0.0
Pertussis			1	1		1		1	25	44	116	2	55.7	0.0
Pneumococcal infection	5	3	7	5	7	5	6		195	153	146	18	17.1	1.1
Rubella (non-congenital)									1	3	0	0	0.1	0.0
Varicella (chicken pox)	14	13	9	8	15	5	11	8	349	409	536	39	60.9	0.6
Varicella (shingles)	38	39	41	43	45	67	34	39	1967	2301	2136	185	192.6	1.0
Varicella (unspecified)	45	58	51	53	57	49	58	71	2138	1460	1413	235	135.1	1.7
Vector-borne diseases														
Barmah Forest virus						2		1	20	16	20	3	2.1	1.4
Chikungunya				1					8	0	7	0	0.4	0.0
Dengue fever	2	3	1	2		6	2	2	49	0	62	10	8.8	1.1
Malaria	1		1		1	1	2	1	27	11	28	5	2.5	2.0
Murray Valley encephalitis virus									1	0	0	0	0.0	0.0
Ross River virus			5	2	1	4			419	595	326	5	43.1	0.1
Typhus	1		1	1				1	15	16	17	1	1.2	0.8
Zoonotic diseases														
Q Fever									4	2	5	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									13	8	4	0	1.1	0.0
COVID-19	1591	1272	1163	942	1055	1198	1376	1467	464907	259	778	5096	13.7	372.9
Creutzfeldt-Jakob disease									2	3	6	0	0.5	0.0
Legionellosis	2	1		2	1		1	1	51	58	64	3	5.6	0.5
Leprosy		1							2	4	1	0	0.3	0.0
Melioidosis									4	6	5	0	0.3	0.0
Meningococcal infection		1		1					15	8	9	0	2.7	0.0
Monkeypox virus	2								7	0	0	0	0.0	0.0
RSV	963	777	624	454	376	285	246	211	9749	7	0	1118	6.7	167.7
Tuberculosis	7	1	1	2	5	3	3	2	80	112	114	13	10.1	1.3
iGAS	4	3	4	3	2	4	3	4	163	6	0	13	0.3	48.7
Grand Total	3293	2666	2378	2103	2122	2210	2282	2346						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 44			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	16/09	23/09	30/09	07/10	14/10	21/10	28/10	04/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1		1				4	7	7	1	1.2	0.8
Hepatitis B (unspecified)	8	5	6	12	9	4	8	5	307	365	368	26	29.2	0.9
Hepatitis C (newly acquired)							1		32	63	65	1	7.5	0.1
Hepatitis C (unspecified)	12	13	9	9	14	20	9	9	496	579	496	52	54.1	1.0
Hepatitis D									5	7	2	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	81	70	46	80	72	72	60	71	2522	1953	1841	275	229.5	1.2
Cryptosporidiosis	3	2	1	3	1	3	3	1	182	40	417	8	5.8	1.4
Hepatitis A	1	1		1					10	1	5	1	0.6	1.7
Listeriosis				1					6	2	5	0	0.5	0.0
Rotavirus	3	3	2	7	7	9	4	5	207	296	122	25	39.7	0.6
STEC/VTEC infection	3	3			2	3	2		96	72	73	7	5.9	1.2
Salmonellosis	11	13	10	13	16	15	17	11	536	552	1185	59	100.4	0.6
Shigellosis	2	2	1	2	1	1	4	2	74	31	91	8	8.4	1.0
Typhoid		1		1					10	1	3	1	1.1	0.9
Vibrio parahaemolyticus									4	20	3	0	2.3	0.0
Yersiniosis	2	1	3			1	1	1	29	23	10	3	1.4	2.1
Sexually transmissible infections														
Chlamydia (genital)	148	129	141	178	150	187	167	163	7318	7431	7201	667	666.8	1.0
Gonorrhoea	39	42	31	40	41	39	41	45	1742	1590	2062	166	165.9	1.0
Syphilis - Infectious	15	4	16	6	12	7	4	7	437	395	409	30	30.4	1.0
Syphilis - Non-Infectious	2	4	1	1	1	3	2		104	148	156	6	11.7	0.5
Vaccine preventable diseases														
Diphtheria			1						1	0	0	0	0.0	0.0
Influenza	121	60	56	92	59	60	62	92	9953	16	966	273	235.4	1.2
Measles								1	1	0	4	1	2.2	0.5
Pertussis			1	1		1		1	20	37	92	2	40.6	0.0
Pneumococcal infection	3		5	2	4	4	4		103	88	55	12	9.4	1.3
Rubella (non-congenital)									1	2	0	0	0.1	0.0
Varicella (chicken pox)	11	10	8	5	12	3	7	7	266	308	401	29	45.9	0.6
Varicella (shingles)	27	28	26	32	29	38	19	26	1336	1617	1529	112	136.6	0.8
Varicella (unspecified)	39	49	49	53	55	48	53	62	1982	1438	1352	218	130.5	1.7
Vector-borne diseases														
Barmah Forest virus						1		1	8	3	3	2	0.5	4.3
Chikungunya									6	0	3	0	0.3	0.0
Dengue fever	1	2	1	2		3	2	2	41	0	48	7	7.6	0.9
Malaria	1		1		1	1	2	1	25	9	22	5	2.0	2.5
Ross River virus			2	1	1	2			275	305	176	3	24.3	0.1
Typhus	1		1					1	6	6	9	1	0.9	1.1
Zoonotic diseases														
Q Fever									3	1	2	0	0.2	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									3	2	0	0	0.1	0.0
COVID-19	1375	1098	1012	834	939	1042	1210	1277	410274	104	459	4468	4.9	905.7
Creutzfeldt-Jakob disease									2	3	5	0	0.5	0.0
Legionellosis	1			1	1		1	1	38	35	46	3	4.6	0.7
Leprosy									1	3	1	0	0.3	0.0
Meningococcal infection									11	3	4	0	1.6	0.0
Monkeypox virus	2								7	0	0	0	0.0	0.0
RSV	802	631	508	337	290	206	182	144	7777	6	0	822	4.7	176.1
Tuberculosis	6	1	1	2	4	3	3	1	66	104	107	11	8.9	1.2
iGAS	2	2	4	2	2	3	3	3	90	4	0	11	0.1	82.5
Grand Total	2722	2175	1943	1716	1726	1779	1871	1940						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1					1	0.4
Hepatitis B (unspecified)		5 (5)	11.1	2	6 (11)	10.7	3	15 (20)	20.7
Hepatitis C (newly acquired)			0.5		(5)	1.9		1 (4)	2.0
Hepatitis C (unspecified)		11 (9)	12.2	3	15 (26)	27.9	6	26 (23)	29.7
Hepatitis D			0.4			0.3			
Enteric diseases									
Campylobacteriosis	28	98 (87)	114.3	20	89 (68)	122.7	23	88 (77)	115.8
Cryptosporidiosis	1	4 (1)	9.2		2 (2)	4.8		2	11.1
Hepatitis A			0.1			0.1		1	1.1
Listeriosis			0.5			0.1			0.1
Rotavirus	1	4 (33)	7.4		11 (31)	10.3	4	10 (46)	11.2
STEC/VTEC infection		2 (3)	3.1		2 (3)	4.6		3 (4)	5.7
Salmonellosis	6	19 (7)	24.2	3	21 (15)	25.4	2	19 (8)	25.3
Shigellosis		2	3.2	2	3 (1)	3.1		3 (2)	3.9
Typhoid					1	0.7			0.7
Vibrio parahaemolyticus								(1)	0.5
Yersiniosis		1 (1)	1.4	1	2 (1)	1.9			0.8
Sexually transmissible infections									
Chlamydia (genital)	55	199 (220)	304.3	46	220 (207)	319.0	62	248 (280)	396.1
Gonorrhoea	14	41 (46)	60.3	10	47 (37)	70.5	21	78 (74)	111.2
Syphilis (congenital)									
Syphilis - Infectious	4	7 (15)	14.2		9 (7)	16.3	3	14 (14)	30.2
Syphilis - Non-Infectious		2 (3)	4.2		1 (5)	3.6		3 (3)	6.6
Vaccine preventable diseases									
Diphtheria						0.1			
Influenza	29	87 (2)	474.2	32	103	430.3	31	83 (1)	483.0
Measles							1	1	0.1
Mumps									
Pertussis		(1)	0.9		1 (1)	1.0	1	1 (2)	0.8
Pneumococcal infection		4 (1)	3.7		4 (1)	5.2		4 (3)	5.6
Rubella (non-congenital)									0.1
Varicella (chicken pox)	1	9 (7)	14.1	2	10 (19)	13.7	4	10 (16)	9.5
Varicella (shingles)	8	36 (65)	63.9	10	36 (49)	67.1	8	40 (43)	56.1
Varicella (unspecified)	27	92 (73)	94.1	18	59 (66)	98.4	17	67 (65)	84.9
Vector-borne diseases									
Barmah Forest virus			0.1	1	2 (1)	0.7			0.3
Chikungunya			0.4			0.3			0.1
Dengue fever		1	2.2			1.3	2	6	2.2
Malaria		1	1.5			0.9	1	4	1.1
Murray Valley encephalitis virus									
Ross River virus		(4)	6.4		2 (15)	18.3		1 (3)	14.2
Typhus					(1)	0.1	1	1	0.7
Zoonotic diseases									
Q Fever						0.1			0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1		(1)	0.1
COVID-19	457	1605 (1)	19935.4	425	1508	17988.7	395	1355	19293.3
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis		1 (1)	3.0	1	1 (4)	0.9		1 (2)	1.4
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection			0.5			0.7			0.3
Monkeypox virus			0.3						0.7
RSV	65	326 (2)	375.1	39	230	373.0	40	266 (2)	339.3
Tuberculosis	1	4 (3)	3.2		5 (2)	1.6		2 (6)	4.2
iGAS	1	3	3.9	1	4 (1)	4.0	1	4	4.6
Grand Total	698	2564 (590)		616	2394 (579)		626	2358 (701)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			6.0		(1)	4.9		(3)	5.4
Hepatitis B (unspecified)			1.6			6.5		1	1.3
Hepatitis C (newly acquired)			25.0	1	4 (3)	45.6	1	2 (3)	20.2
Hepatitis C (unspecified)	2	6 (6)						1	1.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	31 (30)	139.7	3	11 (18)	152.9	7	18 (13)	131.9
Cryptosporidiosis	1	3	10.9			13.0			2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus	1	2 (6)	5.4		(1)	4.9	1	2 (3)	9.4
STEC/VTEC infection		2	10.9			11.4		1 (1)	16.2
Salmonellosis	2	10 (5)	29.9		(2)	19.5		2 (2)	22.9
Shigellosis			1.1			1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6		1	4.0
Sexually transmissible infections									
Chlamydia (genital)	11	45 (40)	223.4	3	12 (7)	187.1	3	19 (13)	199.3
Gonorrhoea		6 (5)	23.4	1	1 (1)	29.3	1	3 (2)	39.0
Syphilis (congenital)									
Syphilis - Infectious		2 (2)	5.4		1	11.4			6.7
Syphilis - Non-Infectious			4.9		1	8.1			9.4
Vaccine preventable diseases									
Diphtheria									
Influenza	6	22	325.1	2	7	600.3		1	197.9
Measles									
Mumps									
Pertussis						1.6			1.3
Pneumococcal infection		1	3.8		1	4.9			6.7
Rubella (non-congenital)									
Varicella (chicken pox)		1 (3)	16.3			8.1		2 (1)	13.5
Varicella (shingles)	8	33 (25)	172.9	2	10 (13)	115.5	2	8 (5)	91.6
Varicella (unspecified)	1	1	0.5	3	6	79.7	1	1	33.7
Vector-borne diseases									
Barmah Forest virus			1.1		(1)	1.6			
Chikungunya			1.1						
Dengue fever		1	1.6						1.3
Malaria			0.5						
Murray Valley encephalitis virus									
Ross River virus		(2)	29.9		(2)	34.2		1 (1)	20.2
Typhus			2.2		(1)	8.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	37	180	12093.1	26	58	6720.8	39	68	5820.5
Creutzfeldt-Jakob disease									
Legionellosis		(2)	2.2			3.3			
Leprosy									1.3
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	27	101	251.2	14	57	610.1	4	18	146.8
Tuberculosis			2.2			3.3			
iGAS			3.8			6.5			5.4
Grand Total	100	447 (126)		55	169 (50)		59	149 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									1.7
Hepatitis B (unspecified)		3	21.9		1	17.8		(1)	15.2
Hepatitis C (newly acquired)									1.7
Hepatitis C (unspecified)		3 (4)	53.9		1 (1)	25.7		2 (1)	33.8
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	2	11 (8)	141.5		4 (7)	100.9	4	13 (5)	116.8
Cryptosporidiosis		1	8.4			11.9			18.6
Hepatitis A									
Listeriosis									
Rotavirus		1 (11)	5.1	1	1 (2)	15.8		3 (12)	13.5
STEC/VTEC infection	1	2	21.9		(1)	7.9			5.1
Salmonellosis		1	40.4		(2)	7.9		(3)	54.1
Shigellosis		1 (1)	11.8		2	25.7	1	1	22.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	21 (12)	389.0	8	28 (30)	498.6	3	30 (33)	531.3
Gonorrhoea	2	5 (5)	96.0	4	12 (17)	269.1	2	20 (23)	358.7
Syphilis (congenital)						2.0	1	1	3.4
Syphilis - Infectious	1	1 (2)	38.7		2 (1)	33.6	2	7 (11)	133.7
Syphilis - Non-Infectious	1	2	23.6		1	31.7		2 (4)	30.5
Vaccine preventable diseases									
Diphtheria									
Influenza	1	2	710.6		1	637.1		6	1000.0
Measles									
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection		1	13.5		3 (3)	51.4		(1)	30.5
Rubella (non-congenital)									
Varicella (chicken pox)		(3)	10.1		(1)	11.9	1	3 (1)	25.4
Varicella (shingles)		1 (2)	38.7		8 (8)	108.8		2 (10)	38.9
Varicella (unspecified)	3	5	99.4			4.0			
Vector-borne diseases									
Barmah Forest virus					(1)	4.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(4)	13.5		(2)	5.9			16.9
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19	23	64	7897.8	16	46	5490.4	20	87	10291.2
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			3.4
Leprosy									
Melioidosis									
Meningococcal infection								(1)	1.7
Monkeypox virus									
RSV	11	46	348.6	3	24	579.7	2	22	299.5
Tuberculosis		(1)	1.7	1	1	4.0			
iGAS		1	15.2			13.8			30.5
Grand Total	46	172 (54)		33	135 (76)		36	199 (106)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.2
Hepatitis B (unspecified)		1 (1)	34.9	5	32 (42)	14.0
Hepatitis C (newly acquired)				0	2 (9)	1.5
Hepatitis C (unspecified)	1	6	55.2	15	78 (77)	25.7
Hepatitis D				0	1 (1)	0.3
Enteric diseases						
Campylobacteriosis		6 (2)	110.4	93	382 (317)	121.9
Cryptosporidiosis		(4)	34.9	2	12 (7)	9.3
Hepatitis A				0	1 (0)	0.4
Listeriosis				0	0 (0)	0.2
Rotavirus		(4)	29.1	8	34 (149)	9.7
STEC/VTEC infection	1	1	32.0	2	13 (12)	6.4
Salmonellosis	2	9 (3)	139.4	15	82 (48)	27.9
Shigellosis	1	4 (3)	98.8	4	17 (7)	5.5
Typhoid				0	1 (0)	0.4
Vibrio parahaemolyticus				0	0 (17)	0.1
Yersiniosis				1	4 (3)	1.2
Sexually transmissible infections						
Chlamydia (genital)	12	59 (39)	1557.2	211	900 (891)	353.9
Gonorrhoea	8	48 (44)	1319.0	63	265 (258)	102.3
Syphilis (congenital)				1	1 (0)	0.1
Syphilis - Infectious	1	9 (9)	308.0	11	53 (61)	26.0
Syphilis - Non-Infectious		1	34.9	1	13 (17)	6.9
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	1	4	2504.3	104	321 (3)	502.7
Measles				1	1 (0)	0.0
Mumps				0	0 (0)	0.0
Pertussis				1	2 (4)	0.9
Pneumococcal infection		(5)	49.4	0	18 (14)	7.3
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		4 (3)	20.3	8	39 (54)	13.1
Varicella (shingles)	1	9 (5)	162.7	39	185 (225)	73.7
Varicella (unspecified)			2.9	71	235 (205)	80.1
Vector-borne diseases						
Barmah Forest virus		1	14.5	1	3 (4)	0.7
Chikungunya				0	0 (0)	0.3
Dengue fever				2	10 (0)	1.8
Malaria				1	5 (0)	1.0
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		1 (1)	81.3	0	5 (34)	15.7
Typhus				1	1 (3)	0.6
Zoonotic diseases						
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			26.1	0	0 (1)	0.5
COVID-19	2	21	13956.6	1467	5096 (3)	17409.7
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			5.8	1	3 (11)	1.9
Leprosy				0	0 (1)	0.0
Melioidosis			11.6	0	0 (0)	0.1
Meningococcal infection			8.7	0	0 (1)	0.6
Monkeypox virus				0	0 (0)	0.3
RSV	5	17	691.4	211	1118 (4)	365.1
Tuberculosis				2	13 (12)	2.5
iGAS	1	1 (1)	61.0	4	13 (2)	6.1
Grand Total	36	202 (124)		2346	8960 (2499)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 44	
	16/09	23/09	30/09	07/10	14/10	21/10	28/10	04/11	2022	2021
	Salmonella Total	14	17	12	15	24	23	20	15	745
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Agona		1							10	4
Salmonella Amsterdam									1	0
Salmonella Anatum									8	9
Salmonella Anatum var 15+						1			2	0
Salmonella Bareilly									2	3
Salmonella Bispebjerg									1	0
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans									7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg									1	0
Salmonella Bredeney									1	1
Salmonella Cerro									1	3
Salmonella Chailey					1				1	1
Salmonella Chester						1	2		18	12
Salmonella Choleraesuis bv Australia			1						7	5
Salmonella Choleraesuis bv Decatur									7	9
Salmonella Corvallis		1							5	2
Salmonella Eastbourne	1								5	4
Salmonella Enteritidis				3	5	3	1	2	33	11
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	4
Salmonella Give									7	5
Salmonella Give var 15+				1					1	0
Salmonella Havana									3	2
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss					1				7	4
Salmonella Infantis				1					11	31
Salmonella Irumu									1	1
Salmonella Javiana									4	0
Salmonella Johannesburg		1							4	2
Salmonella Kentucky			1					2	6	1
Salmonella Kiambu				2					11	4
Salmonella Litchfield									3	4
Salmonella Mbandaka			1						1	1
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Muenchen						1	1		16	16
Salmonella Newport				1	1				10	12
Salmonella Ohio									1	1
Salmonella Ohlstedt									3	1
Salmonella Oranienburg				1					17	9
Salmonella Orientalis									1	2
Salmonella Orion									8	9
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1	1		1	4	2	3		30	8

Weekly Report for period 10-SEP-22 to 04-NOV-22

	16/09	23/09	30/09	07/10	14/10	21/10	28/10	04/11	Cumulative Total to end of Week 44	
									2022	2021
Salmonella Total	14	17	12	15	24	23	20	15	745	760
Serotype/Phage										
Salmonella Poona									3	6
Salmonella Potsdam		1			1				6	7
Salmonella Reading	1	2				1			12	6
Salmonella Rissen									3	4
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul			1			2			35	32
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg		1							4	2
Salmonella Singapore									1	3
Salmonella Stanley	1	1					1		18	6
Salmonella Tennessee									3	4
Salmonella Thompson									1	1
Salmonella Typhimurium	2	6	3	1	3	9	9		235	415
Salmonella Virchow	2				1				20	27
Salmonella Wandsbek subsp II									2	3
Salmonella Wandsworth									1	1
Salmonella Welikade									3	1
Salmonella Weltevreden			1	1					10	2
Salmonella Worthington									2	0
Salmonella Zanzibar									1	3
Salmonella species	6	2	4	3	7	3	3	11	97	38
Salmonella subsp 1 ser 4,5:d:-									5	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									3	0
Salmonella subsp IIIb ser									1	0