



# Virus WAtch

## Week ending 7 July 2024

## **Key points**

### Influenza and influenza-like illnesses (ILI)

- In the past week, all indicators of ILI activity increased or remained stable.
- Influenza notifications increased and remained above the seasonal threshold in the past week.
- Respiratory syncytial virus (RSV) notifications decreased in the past week.
- Total non-influenza respiratory virus detections at PathWest Laboratory Medicine (PathWest) increased in the past week.
- In the past week, 407 COVID-19 PCR positive cases were notified in WA, a decrease of 2% compared to the previous week. See <u>COVID-19 surveillance report</u> (fortnightly data).

### Gastroenteritis

- The number of presentations to EDs increased and was in the low to mid-range of values usually reported at this time of year. The rate of gastroenteritis presentations to sentinel GPs increased to above the baseline in the past week.
- Rotavirus notifications to the Department of Health increased while norovirus detections at PathWest decreased slightly in the past week.


### Other vaccine-preventable diseases

- **Chickenpox and shingles**: The number of shingles presentations to EDs was stable in the past week while chickenpox presentations increased to above the baseline. There were three chickenpox presentations to sentinel GPs in the past week and the rate of shingles presentations increased but remained below the baseline.
- Measles: No measles cases were notified in the past week.
- Mumps: No mumps cases were notified in the past week.
- Rubella: No rubella cases were notified in the past week.
- Invasive meningococcal disease (IMD): No IMD cases were notified in the past week.

## Influenza and influenza-like illnesses (ILI)


The rate of ILI presentations to sentinel GPs increased but remained in the mid-range of values usually reported at this time of year (Figure 1).

Figure 1. Rate of ILI per 1000 consultations at sentinel GPs (Australian Sentinel Practices Research Network) by week, WA, 2019 to 2024 YTD




The rate of ILI-related presentations to EDs increased in the past week, while the rate of admissions decreased (Figure 2).






Note: This graph is a count of current EDIS data using the ICD codes B34.9 and J06.9, which are consistent with a clinical presentation of influenza-like illness. This data may differ from that presented in the Winter Respiratory Illness Report provided by the Information and System Performance Directorate, DoH.

In the past week, the number of respiratory illness presentations to EDs increased but remained in the mid-range of values usually reported at this time of year (Figure 3).






Note: This graph is a count of current EDIS data using the ICD codes B34.9, H66.9, J00, J06.9, J09.0, J10.0, J10.1, J10.8, J11.0, J11.1, J11.8, J12.9, J18.0, J18.1, J18.8, J18.9, J20.9, J21.9, J22, J40, J44.0, J44.1, J44.9, J45.9, J46.0, J98.8, J98.9, R05 and COVID-19 code U07.1, which are consistent with a clinical presentation of all respiratory-like illness. This data is different to Figure 2 but similar to that presented in the Winter Respiratory Illness Report provided by the Information and System Performance Directorate, DoH.

In the past week the number of influenza cases notified to the Department of Health increased by 35% to 691 cases, remaining above the seasonal threshold (Figure 4).





Note: This graph is a count of all influenza notifications by week of receipt by the DoH, WA (through WANIDD) to the end of the current reporting week. The seasonal threshold defines a value above which may indicate seasonal influenza activity. The threshold value is calculated based on analysis of inter-seasonal influenza data from 2016 to 2019 and 2023.


In the year to date, the number of influenza notifications, hospitalisations, and deaths\* were lower than the previous five-year average (Table 1). Thirty-four percent of notifications were in those aged less than 15 years (Figure 5).

## Table 1. Influenza notifications and vaccination coverage, WA, 2024 YTD compared to the 5-year average for the same period


Notifications	Category	2024 Year to Date	5-year average
Influenza infections extracted by date of receipt	Notifications	5,269	6,734
	Hospitalisations	1,017	1,181
	Reported deaths	6	21
Vaccinations		2024 Year	5-year
vaccinations	Age group	to Date	average
Vaccinations	Age group 6mo-< 5 yrs	to Date 31,386	average NA
Influenza immunisations			
	6mo-< 5 yrs	31,386	NA


Note: NA: data not available. Note: 5-year average is calculated using the years 2016-2019 and 2023. Notification data source: WANIDD. Immunisation data source: Department of Health and Aged Care Influenza (flu) immunisation data | Australian Government Department of Health and Aged Care. Doses administered from 1 March. \* Reported deaths may include historical deaths that occurred prior to the current reporting period.

Figure 5. Influenza notifications by age group, WA, 2024 YTD




In the past week, the seven-day moving average for influenza notification rates increased in all regions except for Goldfields and Kimberley where the rates respectively decreased and remained stable (Figure 6).





Note: This graph shows the 7-day moving average of influenza cases per 100,000 people in the WA health regions for 2024 by date of receipt, received by the DoH, WA (through WANIDD) to the end of the current reporting week.


The number of influenza cases reported as hospitalised in the past week increased in both adults and children (Figure 7).



#### Figure 7. Number of notified influenza cases hospitalised by week, WA, 2019 to 2024 YTD

Note: This graph shows the number of all notified influenza cases that have been hospitalised, by week of notification receipt, received by the DoH, WA (through WANIDD) to the end of the current reporting week. Child notifications were defined as individuals less than 18 years of age.

The influenza PCR test positivity at PathWest increased to 10.6% (185 detections) in the past week. (Figure 8).



#### Figure 8. Proportion of PCR positive influenza detections at PathWest by week, WA, 2019 to 2024 YTD

Note: This graph is a count of all WA samples reported by PathWest, excluding samples referred by other private laboratories for influenza subtyping.

Week

15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51 53

13

11


0%

3 5 7 9

1

PathWest reported 185 influenza detections in the past week, which included 21 A/H1, 131 A/H3, 24 influenza A not yet subtyped and 9 influenza B (Figure 9).


Figure 9. Number of PCR positive influenza detections at PathWest by type, subtype and week, WA, 2023 to 2024 YTD



Note: The graph is a summary of all WA samples positive for influenza reported at PathWest, excluding samples referred by other private laboratories for influenza subtyping. These samples were tested using a rapid testing method that does not determine the influenza subtype (i.e., influenza A/H3N2 or A/H1

In the past week, the number of RSV cases notified to the Department of Health decreased by 2% to 352 cases (Figure 10).

Figure 10. Number of respiratory syncytial virus (RSV) notifications by week, WA, 2022 to 2024 YTD




Note: Respiratory syncytial virus (RSV) was made a notifiable infectious disease in WA in July 2021. This graph is a count of all RSV by week of onset by the DoH, WA (through WANIDD) to the end of the current reporting week.


In the year to date, the number of RSV notifications, hospitalisations, and deaths\* were higher than in the same period in 2023. To date, 16,693 infants have received a dose of RSV immunisation (Table 2). The majority of RSV notifications were in those aged less than 5 years (Figure 11).

## Table 2. RSV notifications and infant immunisation coverage, WA, 2024 YTD compared to 2023 for the same period

Notifications	Category	2024 Year to Date	2023
RSV infections extracted by optimal date of onset	Notifications	2,806	2,430
	Hospitalisations	856	827
	Reported deaths	4	1
Number of infants receiving a dose of RSV immunisation		2024 Year to Date	2023
	Persons	16,693	N/A


Note: N/A: data not available. Notification data source: WANIDD. Immunisation data source: Australian Immunisation Register accessed by WA Department of Health. Immunisation data does not include adult doses of RSV containing vaccine. \* Reported deaths may include historical deaths that occurred prior to the current reporting period.






In the past week, the seven-day moving average for RSV notification rates decreased or remained stable in all regions, except the Pilbara region where the rate increased (Figure 12).







Note: This graph shows the 7-day moving average of RSV cases per 100,000 people in the WA health regions for 2024 by optimal date of onset, received by the DoH, WA (through WANIDD) to the end of the current reporting week.


The number of RSV cases reported as hospitalised in the past week increased slightly in children and decreased slightly in adults. (Figure 13).





Non-influenza respiratory virus detections at PathWest increased in the past week (Figure 14). The most common non-influenza respiratory virus detected was rhinovirus (140 cases), followed by RSV (99 cases).






Note: This graph is a count of all WA samples positive for a common respiratory virus other than influenza reported by PathWest.

In the past week, 407 COVID-19 PCR positive cases were notified in WA, a decrease of 2% in comparison to the previous week. (Figure 15).






## Gastroenteritis


The rate of gastroenteritis presentations to sentinel GPs increased to above the baseline in the past week (Figure 16).

Figure 16. Number of gastroenteritis presentations per 1000 consultations at sentinel GPs (Australian Sentinel Practices Research Network) by week, WA, 2019 to 2024 YTD




Gastroenteritis presentations at EDs increased in the past week and were in the low to mid-range of values usually reported at this time of year (Figure 17).





In the past week, statewide rotavirus notifications to the Department of Health increased while norovirus detections at PathWest decreased (Figure 18).

Figure 18. Number of rotavirus notifications to the Department of Health and norovirus detections at PathWest in the past eight weeks, WA




Note: Rotavirus notifications reported to the Department of Health include detections from all WA pathology laboratories. Norovirus detections are from PathWest only.

## Viral rashes

There were 3 chickenpox presentations to sentinel GPs in the past week and the rate of shingles presentations increased but remained below the baseline (Figure 19).


Figure 19. Number of varicella-zoster presentations per 1000 consultations at sentinel GPs (Australian Sentinel Practices Research Network) in the past eight weeks, WA



Note: Baseline levels for chickenpox and shingles presentations to WA ASPREN GPs per thousand consultations were calculated using the mean of weekly WA ASPREN data from week 1, 2019 to week 52, 2023.

The number of shingles presentations to EDs was stable in the past week while chickenpox presentations increased to above the baseline (Figure 20).

#### Figure 20. Number of varicella-zoster presentations to Emergency Departments in the past eight weeks, WA



Note: Baseline levels for varicella-zoster virus presentations to Emergency Departments in WA were calculated using the mean of weekly EDIS data from week 1, 2019 to week 52, 2023.

## **Report Notes**

Virus WAtch is a weekly electronic publication by the Communicable Disease Control Directorate (CDCD) and key collaborators. It provides a brief summary of general practice and hospital emergency department sentinel surveillance data on influenza-like illness, gastroenteritis, and varicella-zoster disease, together with relevant laboratory information, to alert health care workers in WA about important circulating viruses. All figures and data were accurate at time of publication, but subject to change. Please note that the influenza and ILI surveillance systems in Western Australia (WA) have been impacted by the COVID-19 pandemic. Therefore, respiratory viral activity should be interpreted with caution and take into account the effects of changes in health seeking behaviour including accessing alternate health services such as telehealth, focused testing for COVID-19 at COVID-19 clinics or specific acute respiratory infection clinics, increased testing for other respiratory viruses and the impact of international border closures. The data collections used to create this publication include:

- Sentinel general practice (GP) data collected by WA members of the Australian Sentinel Practices Research Network (ASPREN).
- Emergency Department (ED) data provided by the Emergency Department Information System (EDIS), which currently incorporates data from the following hospitals: Fiona Stanley Hospital, Sir Charles Gardiner Hospital, Royal Perth Hospital, Perth Children's Hospital, King Edward Memorial Hospital, St John of God Midland, Bunbury Hospital, Armadale Hospital, Joondalup Health Campus, and Rockingham General Hospital.
- Disease notification data are sourced from the Western Australian Notifiable Infectious Diseases Database (WANIDD). These data are received by CDCD, WA Department of Health from medical providers and public or private laboratories in WA. Hospitalisation data are included in the report during the influenza season.
- Viral laboratory data obtained from PathWest laboratories at QEII Medical Centre, as well as via notification data sent by all WA laboratories to CDCD, WA Department of Health.
- Reported deaths may include historical deaths that occurred prior to the current reporting period.
- As of 1 January 2022, the definition of a confirmed influenza case has changed to remove 'Single high titre by CFT or HAI to influenza virus' from the list of <u>laboratory definitive evidence</u>.
- As of March 2022, this report includes COVID-19 cases diagnosed by Polymerase Chain Reaction (PCR) test and Rapid Antigen Test (RAT) sourced from Public Health Operations COVID-19 Unified System (PHOCUS).
- From 9 October 2023, it is no longer a requirement to register positive COVID-19 rapid antigen test (RAT) results to the WA Department of Health. Therefore, probable COVID-19 cases diagnosed by RAT will not be reported from that date.
- From 14 January 2024, the methodology for calculating the influenza seasonal threshold has changed. The threshold value is calculated based on analysis of inter-seasonal influenza data from 2016 to 2019 and 2023.
- Current and archived issues of Virus Watch <a href="http://ww2.health.wa.gov.au/Articles/F\_l/Infectious-disease-data/Virus-WAtch">http://ww2.health.wa.gov.au/Articles/F\_l/Infectious-disease-data/Virus-WAtch</a>.

## This document can be made available in alternative formats on request for a person with disability.

© Department of Health 2024

Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism, or review, as permitted under the provisions of the *Copyright Act 1968*, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.