Health (Notifications by Midwives) Regulations 1994	Form 2 NOTIFICATION OF CASE AT LE	NDED WIK15
Last name	Unit Record No.	Establishment
First name		Ward
Address of usual residence Number and street	Birth date (Mother) State Post code	Marital status 1=never married 2=widowed 3=divorced 4=separated 5=married (incl. defacto) 6=unknown
	Height Weight	Ethnic status
Town or suburb		1=Caucasian 2=Aboriginal/TSI
Maiden name	Telephone	Other
PREGNANCY DETAILS	LABOUR DETAILS	BABY DETAILS
PREVIOUS PREGNANCIES:	Onset of labour:	(Please use a separate form for each baby)
Total number (excluding this pregnancy):	1=spontaneous 2=induced 3=no labour	Adoption: 1=yes 2=no
Previous pregnancy outcomes:	Augmentation (labour has begun):	Born before arrival: 1=yes 2=no
- liveborn, now living	1 □ none 2 □ oxytocin	Birth date: 2 0
- liveborn, now dead	3 □ prostaglandins	
- stillborn	4 ☐ artifical rupture of membranes 8 ☐ other	Birth time (24hr clock):
Number of previous caesareans	Induction (before labour began):	Plurality (number of babies this birth):
Caesarean last delivery 1=yes 2=no	1 □ none	Birth order
Previous multiple births 1=yes 2=no	2 ☐ oxytocin 3 ☐ prostaglandins	(specify this baby, eg, 1=1 st baby born, 2=2 nd baby born, etc):
THIS PREGNANCY:	4 ☐ artificial rupture of membranes	Presentation:
Antenatal: Estimated gestation weeks at first antenatal visit	8 other	1=vertex 2=breech 3=face 4=brow 8=other
Total number of antenatal care visits	Analgesia (during labour): 1 □ none	Method of birth:
Date of LMP: 2 0	2 nitrous oxide	1 □ spontaneous 2 □ vacuum successful
This date certain 1=yes 2=no	3 ☐ intra-muscular narcotics 4 ☐ epidural/caudal	3 □ vacuum unsuccessful
Expected due date: 2 0	5 □ spinal	4 ☐ forceps successful 5 ☐ forceps unsuccessful
based on 1=clinical signs/dates	7 ☐ combined spinal/epidural 8 ☐ other	6 ☐ breech (vaginal)
2=ultrasound <20 wks	Duration of labour: hr min	7 ☐ elective caesarean 8 ☐ emergency caesarean
Smoking:	1st stage (hour & min):	Accoucheur(s):
Number of tobacco cigarettes usually smoked each day during first 20 weeks	2 nd stage (hour & min):	1 □ obstetrician 2 □ other medical officer
Number of tobacco cigarettes usually	DELIVERY DETAILS	2 □ other medical officer 3 □ midwife
smoked each day after 20 weeks of pregnancy.		4 student
(none, use '000'; occasional or smoked <1, use '998'; undetermined, use '999')	Anaesthesia (during delivery): 1 □ none	5 □ self/no attendant 8 □ other
Complications of pregnancy:	2 local anaesthesia to perineum	Gender:
1 threatened abortion (<20wks)	3 ☐ pudendal 4 ☐ epidural/caudal	1=male 2=female 3=indeterminate
2 ☐ threatened preterm labour (<37 wks) 3 ☐ urinary tract infection	5 □ spinal	Status of baby at birth:
4 □ pre-eclampsia 5 □ Antepartum haemorrhage (APH) –	6 ☐ general 7 ☐ combined spinal/epidural	1=liveborn 2=stillborn (unspecified) 3= antepartum stillborn 4=intrapartum stillborn
5 Antepartum haemorrhage (APH) – placenta praevia	8 other	Infant weight (whole gram):
6 APH – placental abruption	Complications of labour and delivery (includes the reason for operative delivery):	
7 □ APH – other 8 □ pre-labour rupture of membranes	1 ☐ precipitate delivery	Length (whole cm):
9 gestational diabetes	2 ☐ fetal distress 3 ☐ prolapsed cord	Head circumference (whole cm):
10 □ other (specify)	4 ☐ cord tight around neck	Time to establish unassisted regular
Medical conditions:	5 ☐ cephalopelvic disproportion 6 ☐ PPH(≥500mls)	breathing (whole min):
1 ☐ essential hypertension	7	Resuscitation: (record one only – the most invasive or highest number)
2 ☐ pre-existing diabetes mellitus ☐ asthma	8 persistent occipito posterior9 shoulder dystocia	1 □ none
4 genital herpes	10 ☐ failure to progress ≤3cm	2 □ suction only 3 □ oxygen therapy only
8 other (specify)	 11 □ failure to progress > 3cm 12 □ previous caesarean section 	4 □ bag and mask (IPPR)
	13 other (specify)	5 ☐ endotrachaeal intubation 6 ☐ ext. cardiac massage and ventilation
Procedures/treatments: 1 □ fertility treatments (include drugs)		8 other
2 cervical suture	Perineal status:	Apgar score: 1 minute
3 □ CVS/placental biopsy 4 □ amniocentesis	1=intact 2=1st degree tear/vaginal tear	5 minutes
5 □ ultrasound	3=2 nd degree tear 4=3 rd degree tear 5=episiotomy 6=episiotomy plus tear	Estimated gestation (whole weeks):
6 □ CTG antepartum 7 □ CTG intrapartum	7=4 th degree tear 8=other	Birth defects (specify):
·		Birth trauma (specify):
Intended place of birth at onset of labour: 1=hospital 2=birth centre attached to hospital	ABORIGINAL STATUS OF BABY	BABY SEPARATION DETAILS
3=birth centre free standing 4=home 8=other	(Tick one box only)	Separation date: 2 0
MIDWIFE	1 Aboriginal but not TSI	Mode of separation:
Name	2 TSI but not Aboriginal 3 Aboriginal and TSI	1=transferred 8=died 9=discharged home
Signature	4 Other	Transferred to: (specify establishment code)
Date 2 0		Special care:
Reg. No.		(excludes Level 1; whole days only)
		Coder ID:

Health (Notifications by Midwives) Regulations 199	4 Form 2 NOTIFICATION OF CASE ATTE	NDED MR15
Last name	Unit Record No.	Establishment
First name		Ward
Address of usual residence Number and street	Birth date (Mother) Post code	Marital status 1=never married 2=widowed 3=divorced 4=separated 5=married (incl. defacto) 6=unknown
Town or suburb	Height Weight (whole cm) (whole kilogram)	Ethnic status
Maiden name		1=Caucasian 2=Aboriginal/TSI Other
PREGNANCY DETAILS	LABOUR DETAILS	BABY DETAILS
PREVIOUS PREGNANCIES:	Onset of labour:	(Please use a separate form for each baby)
Total number (excluding this pregnancy):	1=spontaneous 2=induced 3=no labour	Adoption: 1=yes 2=no
Previous pregnancy outcomes:	Augmentation (labour has begun):	
- liveborn, now living	1 none	Born before arrival: 1=yes 2=no
- liveborn, now dead	2 oxytocin	Birth date: 2 0
- stillborn	3 ☐ prostaglandins 4 ☐ artifical rupture of membranes	Birth time (24hr clock):
	8 other	
Number of previous caesareans	Induction (before labour began):	Plurality (number of babies this birth):
Caesarean last delivery 1=yes 2=no	1 □ none	Birth order
Previous multiple births 1=yes 2=no	2 oxytocin	(specify this baby, eg, 1=1 st baby born, 2=2 nd baby
THIS PREGNANCY:	3 ☐ prostaglandins 4 ☐ artificial rupture of membranes	born, etc):
Antenatal:	8 □ other	Presentation:
Estimated gestation weeks at first antenatal visit	Analgesia (during labour):	1=vertex 2=breech 3=face 4=brow 8=other
Total number of antenatal care visits	1 □ none	Method of birth: 1 □ spontaneous
	2	□ spontaneous □ vacuum successful
	3 ☐ intra-muscular narcotics	3 □ vacuum unsuccessful
This date certain 1=yes 2=no	4 □ epidural/caudal 5 □ spinal	4
Expected due date: 2 0	7 combined spinal/epidural	5 ☐ forceps unsuccessful
based on 1=clinical signs/dates	8 □ other	6 □ breech (vaginal) 7 □ elective caesarean
2=ultrasound <20 wks	Duration of labour: hr min	8 — emergency caesarean
Smoking:	1st stage (hour & min):	Accoucheur(s):
Number of tobacco cigarettes usually		1 □ obstetrician
smoked each day during first 20 weeks	2 nd stage (hour & min):	2 other medical officer
Number of tobacco cigarettes usually	DELIVERY DETAILS	3 midwife
smoked each day after 20 weeks of pregnancy.	Anaesthesia (during delivery):	4 □ student 5 □ self/no attendant
(none, use '000'; occasional or smoked <1, use '998'; undetermined, use '999')	1 □ none	8 other
Complications of pregnancy:	2 local anaesthesia to perineum	Gender:
1 ☐ threatened abortion (<20wks)	3 pudendal	1=male 2=female 3=indeterminate
2	4 epidural/caudal	
3 ☐ urinary tract infection	5 □ spinal 6 □ general	Status of baby at birth: 1=liveborn 2=stillborn (unspecified)
4 pre-eclampsia	7 combined spinal/epidural	3= antepartum stillborn 4=intrapartum stillborn
5 Antepartum haemorrhage (APH) – placenta praevia	8 other	· · · · · · · · · · · · · · · · · · ·
6 ☐ APH – placental abruption	Complications of labour and delivery	Infant weight (whole gram):
7 APH – other	(includes the reason for operative delivery):	Length (whole cm):
8 pre-labour rupture of membranes	1 precipitate delivery	
9 ☐ gestational diabetes	2 ☐ fetal distress 3 ☐ prolapsed cord	Head circumference (whole cm):
10 other (specify)	4 □ cord tight around neck	Time to establish unassisted regular
	5 cephalopelvic disproportion	breathing (whole min):
Medical conditions:	6 □ PPH(≥500mls)	Resuscitation: (record one only – the most invasive or
1 □ essential hypertension2 □ pre-existing diabetes mellitus	7 ☐ retained placenta - manual removal 8 ☐ persistent occipito posterior	highest number)
2 ☐ pre-existing diabetes mellitus 3 ☐ asthma	9 shoulder dystocia	1 □ none
4 genital herpes	10 ☐ failure to progress ≤3cm	2 □ suction only 3 □ oxygen therapy only
8 other (specify)	11 ☐ failure to progress > 3cm	4 bag and mask (IPPR)
	12 □ previous caesarean section	5 endotrachaeal intubation
Procedures/treatments:	13 □ other (specify)	6 □ ext. cardiac massage and ventilation
1		8 🗆 other
2 ☐ cervical suture	Perineal status:	Apgar score: 1 minute
3 ☐ CVS/placental biopsy	1=intact 2=1st degree tear/vaginal tear	5 minutes
4 ☐ amniocentesis 5 ☐ ultrasound	3=2 nd degree tear 4=3 rd degree tear	Estimated gestation (whole weeks):
6 ☐ CTG antepartum	5=episiotomy 6=episiotomy plus tear	Rirth defects (specify):
7 CTG intrapartum	7=4 th degree tear 8=other	Birth defects (specify): Birth trauma (specify):
Intended place of birth at onset of labour:		Birth trauma (specify):
1=hospital 2=birth centre attached to hospital	ABORIGINAL STATUS OF BABY	BABY SEPARATION DETAILS
3=birth centre free standing 4=home 8=other	(Tick one box only)	Separation date: 2 0
	1 Aboriginal but not TSI	
MIDWIFE	2 TSI but not Aboriginal	Mode of separation:
Name	3 Aboriginal and TSI	1=transferred 8=died 9=discharged home
Signature	4 Other	Transferred to: (specify establishment code)
Date 2 0	- Julioi	Special care:
		(excludes Level 1; whole days only)
Reg. No		Coder ID:
	1	Separation date: Mode of separation: 2 0

Health (Notifications by Midwives) Regulations 1994	Form 2 NOTIFICATION OF CASE ATTE	NDED MR15
Last name	Unit	Establishment
	Record No.	Ward
First name	Birth date (Mother)	Marital status 1=never married 2=widowed 3=divorced
Address of usual residence Number and street	State Post code	4=separated 5=married (incl. defacto) 6=unknown
Town or suburb_	Height Weight (whole cm) (whole kilogram)	Ethnic status 1=Caucasian 2=Aboriginal/TSI
Maiden name	Telephone	Other
PREGNANCY DETAILS	LABOUR DETAILS	BABY DETAILS
PREVIOUS PREGNANCIES:	Onset of labour:	(Please use a separate form for each baby)
Total number (excluding this pregnancy):	1=spontaneous 2=induced 3=no labour	Adoption: 1=yes 2=no
Previous pregnancy outcomes:	Augmentation (labour has begun):	Born before arrival: 1=yes 2=no
- liveborn, now living	1 ☐ none 2 ☐ oxytocin	Birth date:
- liveborn, now dead	3 □ prostaglandins	
- stillborn	4 ☐ artifical rupture of membranes 8 ☐ other	Birth time (24hr clock):
Number of previous caesareans Caesarean last delivery 1=yes 2=no	Induction (before labour began):	Plurality (number of babies this birth):
Previous multiple births 1=yes 2=no	1 ☐ none 2 ☐ oxytocin	Birth order (specify this baby, eg, 1=1 st baby born, 2=2 nd baby
THIS PREGNANCY:	3 □ prostaglandins	born, etc):
Antenatal:	4 ☐ artificial rupture of membranes 8 ☐ other	Presentation:
Estimated gestation weeks at first antenatal visit	Analgesia (during labour):	1=vertex 2=breech 3=face 4=brow 8=other Method of birth:
Total number of antenatal care visits	1 none 2 nitrous oxide	1 □ spontaneous
Date of LMP:	3 intra-muscular narcotics	2 □ vacuum successful 3 □ vacuum unsuccessful
This date certain 1=yes 2=no	4 ☐ epidural/caudal 5 ☐ spinal	4 ☐ forceps successful
Expected due date: 2 0	7 combined spinal/epidural	5 ☐ forceps unsuccessful 6 ☐ breech (vaginal)
based on 1=clinical signs/dates	8 other	7 □ elective caesarean
2=ultrasound <20 wks Smoking:	Duration of labour: hr min	8 — emergency caesarean
Number of tobacco cigarettes usually	1st stage (hour & min):	Accoucheur(s): 1 □ obstetrician
smoked each day during first 20 weeks	2 nd stage (hour & min):	2 ☐ other medical officer
Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy.	DELIVERY DETAILS	3 ☐ midwife
(none, use '000'; occasional or smoked <1, use '998';	Anaesthesia (during delivery):	5 self/no attendant
undetermined, use '999') Complications of pregnancy:	1 □ none2 □ local anaesthesia to perineum	8
1	3 ☐ pudendal 4 ☐ epidural/caudal	1=male 2=female 3=indeterminate
2 ☐ threatened preterm labour (<37 wks) 3 ☐ urinary tract infection	4 ☐ epidural/caudal 5 ☐ spinal	Status of baby at birth:
4 □ pre-eclampsia	6 ☐ general 7 ☐ combined spinal/epidural	1=liveborn 2=stillborn (unspecified) 3= antepartum stillborn 4=intrapartum stillborn
5 ☐ Antepartum haemorrhage (APH) – placenta praevia	8 other	· · · · · · · · · · · · · · · · · · ·
6 ☐ APH – placental abruption	Complications of labour and delivery (includes the reason for operative delivery):	Infant weight (whole gram):
7 □ APH – other 8 □ pre-labour rupture of membranes	1 ☐ precipitate delivery	Length (whole cm):
9 gestational diabetes	2 ☐ fetal distress 3 ☐ prolapsed cord	Head circumference (whole cm):
10 □ other (specify)	4 ☐ cord tight around neck	Time to establish unassisted regular
Medical conditions:	5 □ cephalopelvic disproportion6 □ PPH(≥500mls)	breathing (whole min):
1 ☐ essential hypertension	7	Resuscitation: (record one only – the most invasive or highest number)
2 □ pre-existing diabetes mellitus 3 □ asthma	8 ☐ persistent occipito posterior 9 ☐ shoulder dystocia	1 □ none
4 ☐ genital herpes	10 ☐ failure to progress ≤3cm	2 □ suction only 3 □ oxygen therapy only
8 □ other (specify)	11 □ failure to progress > 3cm12 □ previous caesarean section	4 □ bag and mask (IPPR)
	13 □ other (specify)	5 ☐ endotrachaeal intubation 6 ☐ ext. cardiac massage and ventilation
Procedures/treatments: 1 ☐ fertility treatments (include drugs)		8 dother
2 ☐ cervical suture	Perineal status:	Apgar score: 1 minute
3 ☐ CVS/placental biopsy 4 ☐ amniocentesis	1=intact 2=1st degree tear/vaginal tear 3=2nd degree tear 4=3rd degree tear	5 minutes
5 □ ultrasound	5=episiotomy 6=episiotomy plus tear	Estimated gestation (whole weeks):
6 □ CTG antepartum 7 □ CTG intrapartum	7=4 th degree tear 8=other	Birth defects (specify): Birth trauma (specify):
Intended place of birth at onset of labour:	ABORIGINAL STATUS OF BABY	
1=hospital 2=birth centre attached to hospital	(Tick one box only)	BABY SEPARATION DETAILS
3=birth centre free standing 4=home 8=other	1 Aboriginal but not TSI	Separation date: 2 0
MIDWIFE	2 TSI but not Aboriginal	Mode of separation:
Name	3 Aboriginal and TSI	Transferred to:
Signature	4 Other	(specify establishment code)
Date 2 0		Special care: (excludes Level 1; whole days only)

MEDICAL RECORDS' COPY

Coder ID:

Health (Notifications by Midwives) Regulations 199	4 Form 2 NOTIFICATION OF CASE ATTE	NDED MR15
Last name	Unit Record No.	Establishment
First name		
Address of usual residence Number and street	Birth date (Mother)	Marital status 1=never married 2=widowed 3=divorced 4=separated 5=married (incl. defacto) 6=unknown
Town or suburb	Height Weight (whole cm) (whole kilogram)	Ethnic status 1=Caucasian 2=Aboriginal/TSI
Maiden name	Telephone Telephone	Other
PREGNANCY DETAILS	LABOUR DETAILS	BABY DETAILS
		(Please use a separate form for each baby)
PREVIOUS PREGNANCIES:	Onset of labour: 1=spontaneous 2=induced 3=no labour	
Total number (excluding this pregnancy): Previous pregnancy outcomes:	Augmentation (labour has begun):	Adoption: 1=yes 2=no
- liveborn, now living	1 none	Born before arrival: 1=yes 2=no
- liveborn, now dead	2 □ oxytocin 3 □ prostaglandins	Birth date: 2 0
- stillborn	4 artifical rupture of membranes	Birth time (24hr clock):
Number of previous caesareans	8 □ other	Plurality (number of babies this birth):
Caesarean last delivery 1=yes 2=no	Induction (before labour began): 1 □ none	Birth order
Previous multiple births 1=yes 2=no	2 oxytocin	(specify this baby, eg, 1=1st baby born, 2=2nd baby
THIS PREGNANCY:	3 ☐ prostaglandins	born, etc):
Antenatal:	 4 □ artificial rupture of membranes 8 □ other	Presentation:
Estimated gestation weeks at first antenatal visit	Analgesia (during labour):	1=vertex 2=breech 3=face 4=brow 8=other Method of birth:
Total number of antenatal care visits	1 □ none	1 □ spontaneous
Date of LMP: 2 0	2 ☐ nitrous oxide 3 ☐ intra-muscular narcotics	2 vacuum successful
This date certain 1=yes 2=no	4 — epidural/caudal	3 □ vacuum unsuccessful 4 □ forceps successful
Expected due date: 2 0	5 □ spinal 7 □ combined spinal/epidural	5 ☐ forceps unsuccessful
based on 1=clinical signs/dates	8 other	6
2=ultrasound <20 wks	Duration of labour: <u>hr min</u>	8
Smoking:	1st stage (hour & min):	Accoucheur(s):
Number of tobacco cigarettes usually smoked each day during first 20 weeks	2 nd stage (hour & min):	□ obstetrician □ other medical officer
Number of tobacco cigarettes usually	DELIVERY DETAILS	2 □ other medical officer 3 □ midwife
smoked each day after 20 weeks of pregnancy.		4 □ student
(none, use '000'; occasional or smoked <1, use '998';	Anaesthesia (during delivery): 1 □ none	5 □ self/no attendant 8 □ other
undetermined, use '999') Complications of pregnancy:	2 local anaesthesia to perineum	Gender:
1 ☐ threatened abortion (<20wks)	3 □ pudendal	1=male 2=female 3=indeterminate
2 ☐ threatened preterm labour (<37 wks)	4 □ epidural/caudal 5 □ spinal	Status of baby at birth:
3 □ urinary tract infection 4 □ pre-eclampsia	6 □ general	1=liveborn 2=stillborn (unspecified)
5 ☐ Antepartum haemorrhage (APH) –	7 □ combined spinal/epidural 8 □ other	3= antepartum stillborn 4=intrapartum stillborn
placenta praevia 6 □ APH – placental abruption	Complications of labour and delivery	Infant weight (whole gram):
6 □ APH – placental abruption 7 □ APH – other	(includes the reason for operative delivery):	Length (whole cm):
8 pre-labour rupture of membranes	□ precipitate delivery □ fetal distress	
9	3 prolapsed cord	Head circumference (whole cm):
other (specify)	4 □ cord tight around neck	Time to establish unassisted regular
Medical conditions:	5 ☐ cephalopelvic disproportion 6 ☐ PPH(≥500mls)	breathing (whole min):
1 ssential hypertension	7 retained placenta - manual removal	Resuscitation: (record one only – the most invasive or highest number)
2 pre-existing diabetes mellitus	8 ☐ persistent occipito posterior 9 ☐ shoulder dystocia	1 □ none
3 □ asthma 4 □ genital herpes	10 ☐ failure to progress ≤3cm	2 □ suction only
8	11 ☐ failure to progress > 3cm	3 ☐ oxygen therapy only 4 ☐ bag and mask (IPPR)
	□ previous caesarean section □ other (specify)	5 □ endotrachaeal intubation
Procedures/treatments:		6 □ ext. cardiac massage and ventilation 8 □ other
1	Portional status	Apgar score: 1 minute
2 □ cervical suture 3 □ CVS/placental biopsy	Perineal status:	5 minutes
4 □ amniocentesis	3=2 nd degree tear 4=3 rd degree tear	
5 □ ultrasound 6 □ CTG antepartum	5=episiotomy 6=episiotomy plus tear	Birth defects (specify):
7	7=4 th degree tear 8=other	Birth trauma (specify):
Intended place of birth at onset of labour:	ABORIGINAL STATUS OF BABY	
1=hospital 2=birth centre attached to hospital		BABY SEPARATION DETAILS
3=birth centre free standing 4=home 8=other	(Tick one box only)	Separation date: 2 0
MIDWIFE	1 Aboriginal but not TSI	Mode of separation:
Name	2 TSI but not Aboriginal 3 Aboriginal and TSI	1=transferred 8=died 9=discharged home
Signature	4 Other	Transferred to: [specify establishment code]
Date 2 0		Special care:
Reg. No.		(excludes Level 1; whole days only)
110g. 140.		Coder ID:

General guidelines for completion of this form

- 1. When completing this form, please use a ballpoint pen and place the form on a firm surface to ensure legibility of all three copies.
- 2. Answer ALL questions.
- 3. If a particular item of information is not available, then record as "unknown".
- 4. When text is required, please PRINT (preferably with the use of block letters).
- 5. Abbreviations should be limited to those in common use, to avoid miscoding of information.
- 6. Addressograph labels may be used but please ensure that one is placed on each of the three copies of the form.
- 7. Wherever possible, insert home or contact telephone number to facilitate continuity of care by Child Health Nurses. If unavailable, indicate with a dash or write "none".
- 8. Where there are more boxes provided than required, please "right adjust" your response, e.g. a birth weight of 975 grams inserted as 0975.
- 9. For all dates, eight boxes are provided, e.g. 6 March 1965 inserted as 06 03 1965.
- 10. Some items allow more than one response. These are identified by multiple boxes, e.g. Complications of labour and delivery.

Complications not listed in tick boxes should be recorded as text under the appropriate headings.

If further information is required for completion of this form, please refer to the "Guidelines for Completion of the Notification of Case Attended Health Act (Notification by Midwife) Regulations Form No.2" available from the website below or from the following:

The Manager
Maternal and Child Health Unit
Department of Health, Western Australia
1st Floor, C Block
189 Royal Street
EAST PERTH WA 6004

Telephone: (08) 9222 2417

Email: BirthData@health.wa.gov.au

Web: www.health.wa.gov.au/publications/subject index/p/Perinatal infant maternal.cfm

FORWARD FORM TO

Maternal and Child Health Unit Department of Health, Western Australia Reply Paid 70042 (Delivery to Locked Bag 52)

Perth BC WA 6849

NB: **Guidelines** for completion of this form are available from the above address or the following email address **BirthData@health.wa.gov.au** or website:

www.health.wa.gov.au/publications/subject index/p/Perinatal infant maternal.cfm